

LIST OF APPROVED PRODUCTS FOR USE IN PUBLIC WATER SUPPLY IN THE UNITED KINGDOM

All approved products must be used in accordance with the specific conditions of approval, listed against the product names in Parts A-E. In addition, the following general conditions of approval apply to all approved products:

1. That use is in accordance with an Instructions for Use document. Approval holders must provide drinking water suppliers with copies of the Instructions for Use Document that was considered by the Drinking Water Inspectorate (DWI) when approval was recommended.
2. That the approval of the Authorities is obtained on condition that there shall be:
 - no change in the formulation of the approved product, including change in the source or identity of raw materials
 - no change in the manufacturing process, including location of manufacture
 - no change in designation of the approved product
 - no change in name or ownership of the organisation holding the approval
3. That the producer shall ensure that the product is tested for conformity with its formulation, and the source or identity of its raw materials, at such intervals and by such persons, as may be determined by the Authorities. The results of such testing shall be sent to the Authorities.
4. If there is suspicion that any of the above is not being followed or has been changed then notify DWI Regulation 31 team who will investigate (reg31.enquiries@defra.gsi.gov.uk)
5. That the approval is still valid

Contents

Part A	Chemicals and Filter Media	4
A.1	Flocculants and Coagulants	4
A.1.1	Products based on tannin	4
A.1.2	Products based on polyacrylamide	4
A.1.3	Products based on polyamine	5
A.2	Adsorbents	6
A.3	Ion Exchange Resins Systems	6
A.3.1	Ion exchange resins	6
A.3.2	Ion exchange resin based processes	7
A.4	Disinfestation, Disinfection or Cleaning Agents of Waterworks Apparatus and Distribution Systems	8
A.5	Disinfection or Cleaning Agents of Membranes	10
A.6	Disinfectants for Emergency Use	15
A.7	Products Based on Traditional Chemicals	15
A.7.1	Traditional Chemicals	15
A.7.2	On-site electrolytic generation of chlorine	16
A.7.3	On-site generation of chlorine dioxide	17
A.8	Disinfestation Agents	18
A.9	Other Chemicals	19
A.10	Filter Media	21
Part B	Products for Conveyance of Water	22
B.1	Pipes	22
B.1.1	Polyethylene (PE) pipes	22
B.1.2	Polyethylene Barrier pipes	28
B.1.3	Polyvinylchloride (PVC) pipes	29
B.1.4	Acrylonitrile-butadiene-styrene copolymer (ABS)	30
B.1.5	Polyethylene terephthalate (PET)	31
B.1.6	Glass reinforced plastic (GRP) pipes	31
B.1.7	Cement mortar lined pipes	32
B.1.7.1	Cement mortar lined pipes without seal coat	32
B.1.7.2	Cement mortar lined pipes with seal coat	33
B.1.8	Pipes coated with factory applied nylon resins	34
B.1.9	Pipes coated with factory applied epoxy resin	34
B.1.10	Stainless steel pipes	36
B.1.11	Coated pipes suitable for total immersion in water	39
B.1.12	Pipes coated with a factory applied polyolefin	40
B.2	Well Casings, Screens and Rising Mains	40
B.3	Products for Conveyance of Water -Emergency Use	42
B.3.1	Hoses	42
B.3.2	Bowsers/tanks	43
B.3.3	Liner bags	44
Part C	Lining, Coatings, Sealant and Repair Materials	45

C.1	In-situ Installed (tubular) pipe linings	45
C.2	In-situ applied Pipe Coatings	45
C.2.1	Coatings based on epoxy resins.....	45
C.2.2	Coatings based on polyurethane	46
C.2.3	Coatings for small diameter pipes.....	47
C.3	Site applied coatings for water retaining structures	48
C.3.1	Coatings based on epoxy resins.....	48
C.3.2	Coatings based on polyurethane	49
C.4	Flexible covers and linings for water retaining structures	51
C.5	Cementitious coatings.....	52
C.6	Sealant & Repair Materials	55
Part D	Membrane and Filtration Systems.....	60
D.1	Membrane and Filtration Elements/Systems	60
D.2	Vessels and Containers for Membrane and Filtration Elements.....	65
D.3	Electrodialysis Water Treatment Units	67
D.4	Filter Media Containing Systems	67
Part E	Other Water Treatment Works Installations	68
E.1	Tanks.....	68
E.2	Underdrains.....	71
E.3	Pressure vessels.....	73
E.4	Other Products used for the treatment of water.....	74
	Index by Product Name.....	79

PART A CHEMICALS AND FILTER MEDIA

It is the responsibility of the drinking water suppliers to ensure that

- (a) the method and manner of use; and
- (b) the purity of these chemicals and products are such that the water treated meets the requirements of the relevant regulations. Where appropriate, additional specific conditions of approval are listed against the chemical or product.

Approval holders and water companies should be aware that products or substances that claim to have a biocidal effect or are used as biocides may require authorisation under the Biocidal Products Regulation. HSE is the UK competent authority for the Biocidal Products Regulation and so any queries about whether that legislation applies to a specific product or substance should be addressed to biocidesenquiries@hse.gov.uk

A.1 Flocculants and Coagulants

A.1.1 Products based on tannin

This section contains no products

A.1.2 Products based on polyacrylamide

For the products listed below the following conditions apply:

- (i) no batch must contain more than 0.020% of free acrylamide monomer based on the active polymer content;
- (ii) the dose must average no more than 0.25 mg/l and never exceed 0.50 mg/l of the active polymer;
- (iii) an upper limit for the content of free acrylamide monomer must be stated by the supplier for every batch; and
- (iv) the method used for the analysis for free acrylamide monomer is that published in the series "Methods for the Examination of Waters and Associated Materials" entitled "Determination of Acrylamide Monomer in Waters and Polymers 1987" (HMSO 1988) Method number 115. ISBN 01175 2039X.

BASF Performance Products plc

Magnafloc LT20

DWI 56/4/885

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions For The Use Of The Approved Products Magnafloc LT20, 25, and 27, Ref Number: IFU 001. Issue Number: 12. Issue Date: Feb 2017

Approval expiry date: 13 February 2022

Magnafloc LT22S-DWI

DWI 56/4/884

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU 004. Issue Number: 10. Issue Date: Feb 2017

Approval expiry date: 13 February 2022

Magnafloc LT25

DWI 56/4/886

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions For The Use Of The Approved Products Magnafloc LT20, 25, and 27, Ref Number: IFU 001. Issue Number: 12. Issue Date: Feb2017

Approval expiry date: 13 February 2022

Magnafloc LT27

DWI 56/4/887

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions For The Use Of The Approved Products Magnafloc LT20, 25, and 27, Ref Number: IFU 001. Issue Number: 12. Issue Date: feb 2017

Approval expiry date: 13 February 2022

A.1.3 Products based on polyamine

For the products listed below the following conditions apply:

- (i) the dose must average no more than 2.5 mg/l and never exceed 5.0 mg/l as the active polymer;
- (ii) no batch must contain more than 40 mg/kg 3-monochloropropane-1,2-diol;
- (iii) the analytical system used for determining the batch content must have a limit of detection no greater than 4 mg/kg. Both estimates must have at least 10 degrees of freedom and have been determined from batches of analyses carried out on not less than five separate days; and
- (iv) the supplier must state for every batch an upper limit for the content of 3-monochloropropane-1,2-diol.

Nalco Europe B.V.

1Nalco 71223

DWI 56/4/905

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions For Use: Ultrion 71223. Version: 3. Dated: 30 Jan 2009

Also contain a coagulant based on aluminium

1Nalco 71225

DWI 56/4/906

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions For Use: Ultrion 71225. Version: 3. Dated: 30 Jan 2009

Also contain a coagulant based on aluminium

A.2 Adsorbents

This section contains no products

A.3 Ion Exchange Resins Systems

A.3.1 Ion exchange resins

Barr + Wray Ltd

Barr + Wray Colour/Organics Removal Ion Exchange Resin BW 141204 DWI

56/4/1238

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Barr + Wray Colour/Organics Removal Ion Exchange Resin Rev1 - Oct 2016

Approval expiry date: 12 December 2021

Barr + Wray Colour/Organics Removal Ion Exchange Resin BW 200613 DWI

56/4/1239

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Barr + Wray Colour/Organics Removal Ion Exchange Resin Rev1 - Oct 2016

Approval expiry date: 12 December 2021

Barr + Wray Colour/Organics Removal Ion Exchange Resin BW 341817 DWI

56/4/1237

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Barr + Wray Colour/Organics Removal Ion Exchange Resin Rev1 - Oct 2016

Approval expiry date: 12 December 2021

DOW Europe GmbH (Rohm and Haas UK Ltd)

Amberlite PWA5 and IMAC HP555

DWI 56/4/758

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IER-IFU-03 Ver 1.0 Date of issue 17 Dec 2012

Approval expiry date: 11 May 2019

IMAC HP 336

DWI 56/4/63

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IMAC HP336 Ion Exchange Resin. IER-IFU-02 Version 1.0 Date of issue 17 Dec 2012

Approval expiry date: 5 June 2019

Ixom Operations Pty Ltd

MIEX DOC Resin

DWI 56/4/550

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: MIEX DOC Resin. Instructions For Use. Version V5. Date of Issue: 26/08/2015

Approval expiry date: 1 September 2021

MIEX Gold

DWI 56/4/1140

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Revision 3. Date of Issue: 17/2/15

Approval expiry date: 29 September 2020

Jacobi Carbons

Resinex KW-H

DWI 56/4/1151

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 1-1016-14

Approval expiry date: 18 June 2022

Lanxess Deutschland GmbH

Lewatit S 5128

DWI 56/4/1193

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use (IFU) Lewatit® S 5128,

Issue date: 11/02/2016 Issue No: Version 01

Approval expiry date: 5 March 2022

Purolite International Ltd

Purolite A520E nitrate selective anion exchange resin

DWI 56/4/11

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Purolite Instructions for Use for A520E resin for Nitrate removal from municipal potable water supplies Issue No: 3. Issue Date: March 2017

Approval expiry date: 27 June 2022

A.3.2 Ion exchange resin based processes

Barr + Wray Ltd

Ion exchange colour removal system

DWI 56/4/1176

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 1 - 17th March 2015

Approval expiry date: 13 September 2021

Ionex SG Ltd

IXL Process

DWI 56/4/467

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU: Ionex SG IFU IXL Process (IXN Application), Issue No 6

Approval expiry date: 9 July 2022

A.4 Disinfestation, Disinfection or Cleaning Agents of Waterworks Apparatus and Distribution Systems

With effect from 1st October 2015 a policy change has been implemented to the requirement for regulatory approval of products and substances clearly intended to be used whilst plant/equipment is off line. These products or substances are normally flushed away or their concentration is reduced to a minimum, that gives rise to no, or negligible risk, to water quality, before the supply is resumed.

Since these substances and products are not intended to be introduced or applied to water intended to be supplied for domestic purposes they do not come within the scope of regulation 31 and approval is no longer required.

The current listings in section A4 below will however remain until the five year period of validity of the existing approval has expired

During the approval process there is no evaluation of a product's effectiveness, only of its safety in use. An approval given in this section does not certify that the Authorities are satisfied that the product is effective, but only that it is safe for use in accordance with the Instructions for Use supplied.

The fact that a product is approved does not justify any claim about its effectiveness.

Permission or consent for disposal of any wastewater generated to a sewer or watercourse must be obtained from the relevant water Service Company, or Environment Agency in England and Wales or Scottish Environment Protection Agency (SEPA) in Scotland as appropriate.

Aqua Smart Inc.

SEAQUEST

DWI 56/4/202

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Seaquest V1

Approval expiry date: 23 October 2020

Aquabiotics Pty Ltd

BoreSaver 1KL Pro

DWI 56/4/959

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: BoreSaver IKL Pro -Instructions for Use - Issue: Version 4.2. Issue Date: 23rd October 2009

Approval expiry date: 22 September 2020

BoreSaver Liquid

DWI 56/4/642

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: October 8, 2013

Approval expiry date: 1 September 2019

BoreSaver Ultra C Eco

DWI 56/4/1148

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: October 21, 2013

Approval expiry date: 1 September 2019

BoreSaver Ultra C Pro

DWI 56/4/641

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: October 21, 2013

Approval expiry date: 1 September 2019

Brenntag UK & Ireland

Clorious2 Care

DWI 56/4/1196

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Clorious2 care Instructions for Use v3

Approval expiry date: 28 October 2020

Carela GmbH

Carela FIX & DES

DWI 56/4/730

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 06/03/15.v4/mr

Approval expiry date: 19 April 2020

EPSCO Ltd

EPSOLVE DI

DWI 56/4/1186

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: F-G29 EPSOLVE D1.R1 Instructions for Use (IFU) Date: 25/05/15

Approval expiry date: 7 July 2020

EPSOLVE HDI

DWI 56/4/1185

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: F-G30 EPSOLVE HD1.R1 Instructions for Use (IFU) Date: 25/05/15

Approval expiry date: 7 July 2020

Panton McLeod Ltd

PM100

DWI 56/4/212

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Cleaning system IFU for PM100 Concentrate issue 2.1

Approval expiry date: 19 October 2020

PM55

DWI 56/4/212

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PM100 System IFU Manual. PM/IW/08/15. 6/8/15.

Approval expiry date: 19 October 2020

PM88

DWI 56/4/212

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PM100 System IFU Manual. PM/IW/08/15. Issue 6/8/15

Approval expiry date: 19 October 2020

Roam Technology

Huwa-San TR50

DWI 56/4/573

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 41447

Flush the apparatus or distribution system before putting into service. Flushing shall be sufficient to ensure that all residual silver is flushed from the system such that the elevation of silver content in the final flush water is not greater than 1 µg/l.

Approval expiry date: 24 June 2019

Tevan B.V.

TEVAN Panox

DWI 56/4/844

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instruction For Use Of Tevan Panox For Cleaning And Disinfection Of Water Treatment Installations. Issue No. 051207. Dated May 23, 2008

This product shall be rinsed until the concentration of Hydrogen Peroxide is 0.1 mg/l or less.

Approval expiry date: 4 October 2020

Water Treatment Products Limited

Sanosil Super 25

DWI 56/4/211

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 1 dated 22 September 2014

Flush the apparatus or distribution system before putting into service. Flushing shall be sufficient to ensure that all residual silver is flushed from the system such that the elevation of silver content in the final flush water is not greater than 1 µg/l.

Approval expiry date: 21 October 2019

A.5 Disinfection or Cleaning Agents of Membranes

During the approval process there is no evaluation of a product's effectiveness, only of its safety in use. An approval given in this section does not certify that the Authorities are satisfied that the product is effective, but only that it is safe for use in accordance with the Instructions for Use supplied.

The fact that a product is approved does not justify any claim about its effectiveness.

Avista Technologies (UK) Ltd

RoCide DB20

DWI 56/4/964

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: RoCide DB20 Instructions for Use, IFU003. Issue 4 Date: 17th April 2015

Approval expiry date: 17 January 2021

RoClean L211

DWI 56/4/945

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: RoClean L211 Instructions for Use, Issue 4. Date: 22/03/2010

Approval expiry date: 31 August 2020

RoClean L403

DWI 56/4/855

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: RoClean L403 Instructions for Use. Issue Reference – 5. Date of Issue – September 2016

Approval expiry date: 21 November 2021

RoClean L404

DWI 56/4/800

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 4, dated 30 Jan 2015

Approval expiry date: 12 April 2020

RoClean L607

DWI 56/4/824

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: RoClean L607. Instructions for Use. Issue Reference 1. Dated 2nd July 2007

Approval expiry date: 14 July 2020

RoClean P111

DWI 56/4/737

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: RoClean P111 Instruction for Use- Issue 2 – 9 August 2017

Approval expiry date: 15 January 2023

RoClean P303

DWI 56/4/746

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: RoClean P303 – IFU002. Instructions For Use. Issue 2

Approval expiry date: 27 October 2019

Vitec 3000

DWI 56/4/457

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Vitec 3000 Instructions for Use. Issue 4 – 10 August 2017

Approval expiry date: 27 February 2023

Vitec 5000

DWI 56/4/458

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Vitec 5000. Instructions for Use. Issue 4 – 25 October 2017

Approval expiry date: 15 January 2023

Vitec 7000

DWI 56/4/801

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 5, Dated 30 Jan 2015

Approval expiry date: 12 April 2020

Vitec 7000a

DWI 56/4/869

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 5, dated 4 May 2015

Approval expiry date: 14 July 2020

BWA Water Additives UK Ltd

Flocon 135

DWI 56/4/839

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use Document: Flocon 135. Issue: 8

Approval expiry date: 8 August 2021

Genesys International Ltd

Genesol 38

DWI 56/4/664

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: DWI 38 IFU/2. Aug 14.pdf

Approval expiry date: 30 June 2020

Genesol 40

DWI 56/4/665

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: DWI-40-IFU/2. Aug 14.pdf

Approval expiry date: 5 October 2019

Genesol 61

DWI 56/4/1205

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: DWI 61 Issue date 12/10/15

Approval expiry date: 18 November 2020

Genesol 704

DWI 56/4/1319

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Genesol 704 Issue date: 30 April 2018, Issue 1

Approval expiry date: 29 August 2023

Genesys CAS

DWI 56/4/1253

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use for Genesys CAS, Jan 17

Approval expiry date: 7 May 2022

Genesys HR

DWI 56/4/577

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use: Genesys HR. DWI – HR – IFU/3 27th November 2013

Approval expiry date: 24 June 2019

Genesys LF

DWI 56/4/495

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use: Genesys LF. DWI – LF – IFU / 5 9th April 2013

Approval expiry date: 12 November 2018

Genesys LF60

DWI 56/4/783

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: DWI-LF60-IFU Jul14.pdf

Approval expiry date: 5 October 2019

Genesys LS

DWI 56/4/781

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: DWI-LS-IFU Jul14.pdf

Approval expiry date: 5 October 2019

Genesys MG

DWI 56/4/610

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use: Genesys MG. DWI – MG – IFU/2 10th January 2014

Approval expiry date: 23 June 2019

Genesys SI

DWI 56/4/593

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use: Genesys SI. DWI – SI – IFU/3 10th April 2014

Approval expiry date: 23 June 2019

Genesys SW

DWI 56/4/524

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use: Genesys SW. DWI – SW – IFU/2 9th April 2013

Approval expiry date: 12 November 2018

Kobell Fluid Technology Ltd

Guardsman GT190 Antiscalant for Membrane Systems DWI 56/4/1123

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Guidance of Guardsman GT 190 Antiscalant for Membrane Systems. Issue no: N13-1376. Issue date: 2013-08-01

Approval expiry date: 9 April 2019

Nalco Europe B.V.

PermaTreat PC-191T DWI 56/4/1108

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PermaTreat PC-191T. Instructions For Use For Drinking Water Suppliers subject to UK Water Supply (Water Quality) Regulations. April 2013 Issue 1

Approval expiry date: 24 October 2018

Professional Water Technologies Inc

Spectraguard SC DWI 56/4/854

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Use Instructions for SpectraGuard SC, a high performance antiscalant for reverse osmosis and nanofiltration membrane systems. Issue Number: 001. Date of Issue: 01 May 2008

SUEZ Water Technologies & Solutions

BioMate MBC2881 DWI 56/4/1276

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: BioMate MBC2881 IFU Issue Date: May 2018

Approval expiry date: 2 November 2022

Hypersperse MDC 704i DWI 56/4/1302

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Hypersperse* MDC 704i IFU. Issue No: Version 2; Issue date: December 2017

Approval expiry date: 22 January 2023

Hypersperse MDC 711 DWI 56/4/1300

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Hypersperse* MDC711 IFU (Instruction for Use)

Issue date: December 2017; Issue number: Version 2

Approval expiry date: 21 June 2023

Hypersperse MDC 714 DWI 56/4/1301

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Hypersperse* MDC714 IFU

Issue date: December 2017; Issue number: Version 2

Approval expiry date: 20 December 2022

Hypersperse MDC150 DWI 56/4/1087

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Hypersperse MDC 150 Version 2 : May 2018

Approval expiry date: 3 March 2019

Hypersperse MDC220

DWI 56/4/1088

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Hypersperse MDC 220 Version 2 : May 2018

Approval expiry date: 3 March 2019

Hypersperse MSI310

DWI 56/4/1311

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Hypersperse MSI310 IFU Issue: December 2018, Version 2

Approval expiry date: 25 June 2023

KLEEN MCT515E

DWI 56/4/1273

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Kleen MCT515E Version 2 May 2018

Approval expiry date: 29 August 2022

Kleen MTC405

DWI 56/4/1289

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Kleen MTC405 IFU Version 2 January 2018

Approval expiry date: 17 September 2023

Kleen* MCT103

DWI 56/4/1008

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Kleen MCT103. Version 2: May 2018

Approval expiry date: 29 August 2022

Kleen* MCT524

DWI 56/4/1007

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Kleen* MCT524. IFU Version 2 : May 2018

Approval expiry date: 29 August 2022

Kleen* MCT882

DWI 56/4/1010

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Kleen* MCT882. Version 2 May 2018

Approval expiry date: 29 August 2022

Water Treatment Products Limited

WTP RO 411

DWI 56/4/821

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use: Water Treatment Products Ltd WTP RO411 reverse osmosis antiscalant. Issue Rev 1/C. Dated: 3 September 2007

Approval expiry date: 5 July 2020

WTP RO 413

DWI 56/4/822

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for use: Water Treatment Products Ltd WTP RO 413 reverse osmosis antiscalant. Issue/Rev 1/C. Dated 3 September 2007

Approval expiry date: 5 July 2020

A.6 Disinfectants for Emergency Use

Disinfectants for emergency use are no longer approved and listed under the requirements of relevant regulations. Guidance upon the choice and use of disinfectants in an emergency is provided in Advice Sheet 9 (<http://www.dwi.gov.uk/drinking-water-products/advice-and-approval/Advicesheet9.pdf>).

Approvals of previously listed disinfectants for emergency use have been revoked – see Information Letter 08/2008 (http://www.dwi.gov.uk/stakeholders/information-letters/2008/08_2008.pdf)

This section contains no products

A.7 Products Based on Traditional Chemicals

A.7.1 Traditional Chemicals

The following traditional chemicals (not currently covered by a specific appropriate BS EN) are considered by DWI to meet the requirements of the relevant regulations subject to the following condition:

The method of use and the purity of these products shall be such that, when used in the treatment of water intended for human consumption, the water so treated shall meet the appropriate requirements of the Water Supply (Water Quality) Regulations. See Reg 31 letter on the "Review of arrangements for approval of Traditional Chemicals" issued 6 August 2018 (http://www.dwi.gov.uk/drinking-water-products/faqs/Reg31Let_060818.pdf)

Traditional Chemical

Citric acid (food grade)

DWI 56/1/106

Conditions of Approval:

For use only in cleaning of membranes

Ferrous chloride

DWI 56/1/106

Lithium Salts

DWI 56/1/106

Conditions of Approval:

For this product the following additional condition applies:

The use of lithium salts for meter calibration in water mains is acceptable providing that the maximum concentration of lithium in water supplied to consumers does not exceed 0.10 mg/l at any time (the analytical method used for lithium determination should have an accuracy better than ± 0.01 mg/l at 0.10 mg/l).

Magnesium hydroxide

DWI 56/1/106

Magnesium sulphate

DWI 56/1/106

Use only for re-mineralisation with RO membrane systems

Magnetite

DWI 56/1/106

Iron oxide (Fe₃O₄)

A.7.2 On-site electrolytic generation of chlorine

Products in this section are not fully covered by EN 901 (sodium hypochlorite) and must conform to the following conditions of use:

- (i) the method of use and the purity of the output of these products shall be such that, in the case of water for public supply, the water so treated meets the requirements of the relevant Regulations; and
- (ii) the treated water must not contain more than 700 µg/l chlorate.

Danish Clean Water A/S

Sodium Hypochlorite generated by Neuthox

DWI 56/4/1298

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: T00 ECA-Generators Machine: Series 02; Dated: 28-11-2017

- (i) the method of use and the purity of the output shall be such that, in the case of water supply, the water so treated meets the requirements of the relevant regulations; and (ii) the water treated must not contain more than 700µg/l chlorate

Approval expiry date: 19 December 2022

Sodium Hypochlorite generated by Neuthox T10/15

DWI 56/4/1315

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: T10 ECA-Generators

Machine: Series 02; Dated: 20-01-2018

- (i) the method of use and the purity of the output shall be such that, in the case of water supply, the water so treated meets the requirements of the relevant regulations; and (ii) the water treated must not contain more than 700µg/l chlorate

Approval expiry date: 29 July 2023

Sodium Hypochlorite generated by Neuthox T20

DWI 56/4/1318

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: T20 ECA-Generators

Machine: Series 00012; Dated: 15-02-2018

- (i) the method of use and the purity of the output shall be such that, in the case of water supply, the water so treated meets the requirements of the relevant regulations; and (ii) the water treated must not contain more than 700µg/l chlorate

Approval expiry date: 26 July 2023

De Nora Water Technologies UK Services Ltd

Clortec cell

DWI 56/4/549

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Version 3.1 dated 19 January 2015

Approval expiry date: 17 March 2020

Evoqua Water Technologies Ltd

Wallace and Tiernan OSEC®

DWI 56/4/775

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Wallace & Tiernan® Instruction Manual OSEC®

Approval expiry date: 24 July 2022

Grundfos Holdings A/S

Sodium Hypochlorite generated by Selcoperm

DWI 56/4/864

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU v003

Approval expiry date: 23 March 2021

Portsmouth Aviation Ltd

ESOL

DWI 56/4/1173

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PTN 1365-200719, issue: 2, issue date: 16/07/2015

Approval expiry date: 19 July 2020

A.7.3 On-site generation of chlorine dioxide

Products in this section are not fully covered by EN 12671 (chlorine dioxide). The following products must conform to the following conditions of use:

- (i) the method of use and the purity of the output of these products shall be such that, in the case of water for public supply, the water so treated meets the requirements of the relevant Regulations; and
- (ii) the combined concentration of chlorine dioxide, chlorite and chlorate shall not exceed 0.5 mg/l as chlorine dioxide in the water entering supply.

Grundfos Holdings A/S

Oxiperm ISIA (with U-type reactor)

DWI 56/4/1236

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Version 1, 2016

Approval expiry date: 30 November 2021

International Water Solutions Ltd

Chlorine Dioxide generated by Xziox

DWI 56/4/998

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 1.8 Dated 27/01/16

Approval expiry date: 31 January 2021

A.8 Disinfestation Agents

During the approval process there is no evaluation of a product's effectiveness, only of its safety in use. An approval given in this section does not certify that the Authorities are satisfied that that the product is effective, but only that it is safe for use in accordance with the Instructions for Use supplied.

The fact that a product is approved does not justify any claim about its effectiveness.

Bournemouth and West Hampshire Water Plc

Permasect WT for use in application to slow sand filters

DWI 56/4/720

Conditions of Approval:

- (i) water undertaker to notify DWI 7 days before start of dosing;
- (ii) the dose must not exceed 100 µg/l and the residual must not exceed 0.1 µg/l in the treated water;
- (iii) the period of dosing shall be kept to a minimum and must never exceed more than once in a 28 day period;
- (iv) prior to dosing, the water undertaker must establish that the filter bed to be dosed is intact and free from defects that would permit short-circuiting of normal flow patterns;
- (v) monitoring of permethrin in the final treated water entering supply and in water leaving each treated filter must be carried out at daily intervals during the first 7 days following commencement of dosing;
- (vi) to submit to us no later than 3 days after cessation of each application, the records of prefilter checks, product batch number, time and amount of dose and monitoring results for each filter at every site and;
- (vii) permission or consent for disposal of any wastewater generated to a sewer or water course must be obtained from the relevant water service company or Environment Agency in England and Wales or Scottish Environment Protection Agency (SEPA) in Scotland , as appropriate.

Approval expiry date: 23 August 2020

Eco Pond Ltd

Extract of Barley Straw

DWI 56/4/1129

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 4, issued 26/08/2014
Dosing must not exceed the maximum stated in the instructions for use.

Approval expiry date: 31 March 2020

A.9 Other Chemicals

Airedale Chemical Company Ltd

Airophos 750PWG

DWI 56/4/960

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 3 dated 23/1/14

Approval expiry date: 8 March 2020

Alkali Solutions Ltd

Puresol

DWI 56/4/1147

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use (IFU) For Puresol. Version 1 : 22 August 2014

Approval expiry date: 9 October 2019

Aqualogy Environment Limited

iDroloc

DWI 56/4/1149

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issued: 22/01/2015

Approval expiry date: 21 January 2020

Arch Chemicals Ltd

Constant Chlor Plus Briquettes

DWI 56/4/1241

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use – Constant Chlor Plus Briquettes. Issue no: 1.1. Issue date: 30 Sept 2016

Approval expiry date: 12 December 2021

B&V Water treatment

Ultralox 40

DWI 56/4/1074

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Ultralox 40 Official Instructions for Use, Issue 3, March 2015

Approval expiry date: 29 November 2023

Ultralox 80

DWI 56/4/1166

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Ultralox 80 Official Instructions for Use, Issue 3, March 2015

Approval expiry date: 21 November 2019

BioBullets Ltd

Silver Bullets 1000

DWI 56/4/852

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for use document for Silver Bullets 1000. Issue No 2. Dated 5th October 2017

This product can only be used for raw water treatment.

Approval expiry date: 20 December 2022

Silver Bullets 2000

DWI 56/4/1000

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for use for Silver Bullets 2000, Issue No: 2 Issue Date 5th October 2017

This product can only be used for raw water treatment.

Approval expiry date: 16 July 2023

Brenntag UK & Ireland

TP Chlor

DWI 56/4/979

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 3 dated 19/6/15

Approval expiry date: 21 September 2020

TP Chlor plus

DWI 56/4/1190

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 3 dated 19/6/15

Approval expiry date: 21 September 2020

Industrial Chemicals Ltd

Thycal

DWI 56/4/1025

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use :THYCAL. Issue No: Version 2. Issue Date: 14th June 2016

Approval expiry date: 1 September 2021

Tarmac Lime & Cement

Kalic HSD

DWI 56/4/1206

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Kalic HSD for pH Control and water softening in Drinking water treatment processes. Issue 002 05/04/2016

Approval expiry date: 27 April 2020

Clear Solutions International Ltd

PureBore

DWI 56/4/1118

Use of the product must be in accordance with the Instructions for Use: Technical Data Sheet And Instructions For Use - Water Well Drilling Fluids, Pure-Bore®. Version 01. June 2012

Approval expiry date: 11 November 2018

A.10 Filter Media

Dryden Aqua Ltd

AFM Activated Filter Media

DWI 56/4/382

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: AFM Activated Filter media. 6th November 2014. Issue no 2

Approval expiry date: 11 January 2020

K2O Consulting

DMI-65

DWI 56/4/1101

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Revision 02/21/2014

Approval expiry date: 28 July 2019

PART B PRODUCTS FOR CONVEYANCE OF WATER

B.1 Pipes

B.1.1 Polyethylene (PE) pipes

Asset International Ltd

Weholite Pipe and Panels

DWI 56/4/513a

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue no 4 dated December 2015

Approval expiry date: 2 February 2019

Centraltubi SPA

Centraltubi

DWI 56/4/913

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Manual For The Use Centraltubi Pe Pipe. June 2014 2nd Revision

Approval expiry date: 2 November 2020

Cork Plastics

CP Polytec PE80E

DWI 56/4/1187

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU CP Polytec PE80E 3doc Dec15

Approval expiry date: 1 June 2021

Egeplast International GmbH

egeclean (+)

DWI 56/4/1157

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instruction for Use. egeclean plus pipes . Issue 1 dated 03/07/2014

Approval expiry date: 31 October 2023

egeclean 9010

DWI 56/4/1158

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instruction for Use. egeclean PE100/egeclean 9010. Issue 1 dated 14 February 2018

Approval expiry date: 19 April 2023

egeclean PE100

DWI 56/4/1156

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instruction for Use. egeclean PE100/egeclean 9010. Issue 1 dated 03/07/2014

Approval expiry date: 12 October 2019

egelen PE 100 Blue

DWI 56/4/436

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PE-HD PE100 in black and blue. Version 9 dated 16th September 2013

Approval expiry date: 12 October 2019

egelen PE100 Black

DWI 56/4/436

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PE-HD PE100 in black and blue. Version 9 dated 16th September 2013

Approval expiry date: 12 October 2019

egeplast 9010

DWI 56/4/1065

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use PE-HD PE100 in black and blue. IFU – UK Rev 10 issued 14 February 2018
PE grades as specified to approval holder and Cold potable water applications only.

Approval expiry date: 19 April 2023

egeplast egelen (+) Plus Pipe

DWI 56/4/1111

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instruction for Use Peelable layer pipes. IFU-UK Rev 11 5th July 2018

Approval restricted to a single grade of Polyethylene (Eltex TUB 125N3000)

Approval expiry date: 31 October 2023

Emtelle UK Ltd

Emtelle PE80 Dark blue water pipe

DWI 56/4/1169

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: EF450-025, version 2 (July 2016)

Approval expiry date: 17 February 2020

Emtelle PE80 Light blue water pipe

DWI 56/4/1170

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: EF450-025, version 1 (January 2015)

Approval expiry date: 17 February 2020

George Fischer Sales Ltd

GF PE100 Black Pipe

DWI 56/4/957

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 15/HLET 15920/15. Dated 23 January 2015

Approval expiry date: 29 March 2020

GPS

Excel White

DWI 56/4/1269

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: EXCEL WHITE POLYETHYLENE PIPES MADE FROM WHITE AND BLACK PE100 MATERIAL

Issue Number 1; Issue Date: 21/03/2017

Approval expiry date: 31 May 2023

GPS B Light Blue Polyethylene Pipe

DWI 56/4/242

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue: Instructions for Use . Issue No: 3. Issue Date: 16 Jan 2017

Approval expiry date: 10 June 2022

GPS Excel (Black)

DWI 56/4/851

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Issue No. 2

Approval expiry date: 6 November 2021

GPS Excel (Blue)

DWI 56/4/850

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Issue Number 2

Approval expiry date: 6 November 2021

GPS Excel (Black) Type F

DWI 56/4/961

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Excel. Issue No: 6. Issue Date: 16/3/2015

Approval expiry date: 1 September 2021

GPS Excel 3c (Black)

DWI 56/4/871

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Excel 3 c PE Pipe Coils Made From Blue PE100 Or Black PE100 Materials. Issue No. 4. Dated: 14.6.2013

Approval expiry date: 1 September 2021

GPS Excel 3c (Blue)

DWI 56/4/853

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Excel 3 c PE Pipe Coils Made From Blue PE100 Or Black PE100 Materials. Issue No. 4. Dated: 14.6.2013

Approval expiry date: 1 September 2021

GPS Excel CR

DWI 56/4/946

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue No: 2 Issue Date: 16/3/2015

Approval expiry date: 1 September 2021

GPS Excel CR Type N Black

DWI 56/4/981

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue: 2, 16/03/2015

DN63 mm, SDR11 or greater

Approval expiry date: 5 March 2020

GPS Excel CR Type N Blue

DWI 56/4/982

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 2, 16/03/2015

DN160 mm, SDR11 or greater

Approval expiry date: 5 March 2020

GPS Excel NB

DWI 56/4/1026

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue: Excel NB. Issue No: 1. Issue Date: 1/7/2011

Approval expiry date: 1 September 2021

GPS Excel NB Type V

DWI 56/4/1050

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU, Issue Number 3, 24/05/2017

Approval expiry date: 6 September 2022

GPS N Black Polyethylene Pipe

DWI 56/4/1260

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU, Issue Number 1, dated 7/2/2017

Approval expiry date: 22 May 2022

GPS N Blue PE80 Pipe

DWI 56/4/651

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue date 26/7/13 Issue no 2

Approval expiry date: 14 September 2019

Idrotherm 2000 srl

RENO 100

DWI 56/4/1168

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instruction for Use dated 21/11/2014

Approval expiry date: 5 May 2020

National Oilwell Varco

AQFLEX

DWI 56/4/644

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: AQflex-SMR-IFU-001 Rev 06

Approval expiry date: 1 July 2019

Peak Pipe Systems

Peak Pipe Systems

DWI 56/4/548

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PSIFU01, Issue 06, Date of issue 04/07/16

Approval expiry date: 20 May 2020

Pipelife Ireland Limited

Qual-plast HDPE Pipe

DWI 56/4/997

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Qual-PLAST PE Pipe Systems Instructions for Use. Date of Issue: 27.09.10. Issue number: 2

Approval expiry date: 21 August 2021

Qual-plast MDPE Pipe

DWI 56/4/240

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Qual-PLAST MDPE pipe systems - Instructions for Use. Issue No: 2. Issue date: 16/01/17

Approval expiry date: 24 July 2022

QualPLAST Polyethylene MDPE co-extruded pipe

DWI 56/4/1282

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU 01 2017

Approval expiry date: 23 August 2022

Polypipe Building Products

Black PE80 Polyethylene Pipes

DWI 56/4/968

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Information for Use Document for Polypipe Building products' PE80 Black polyethylene Pressure pipes to BS EN 12201-2 made from Ineos Eltex Tub 171 Black Polyethylene Compound Doc Reference: PS 157. Issue No: 01 Date: 5 January 2010

Approval expiry date: 28 July 2020

Black PE80 Polyethylene Pipes (ME3440)

DWI 56/4/986

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Issue 1, 7 July 2016

Approval expiry date: 30 November 2021

Blue PE80 Polyethylene Pipes

DWI 56/4/970

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PSNR001 issue 1 dated 27 May 2015

Approval expiry date: 8 June 2020

Blue PE80 Polyethylene Pipes (PC002 50R698)

DWI 56/4/1120

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PS 161 Issue 1 26 September 2013

Approval expiry date: 17 October 2023

Polypipe Blue PE100 Polyethylene Pipes (TUB124N 2025)

DWI 56/4/1296

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use document for Polypipe Building Products' PE 100 Blue Polyethylene pressure pipes to BS EN 12201-2 made from Etex TUB124N 2025 polyethylene compound. Issue Number: 01; Issue date: 28 Sept 2017

Approval expiry date: 15 March 2023

Radius Subterra – a part of RadiusPlus Ltd

Subcoil

DWI 56/4/461

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 6.

Approval expiry date: 2 October 2020

Radius Systems Ltd

High Performance SC100 Dark Blue Pipe PE100 pipe including Clean Pipe

DWI 56/4/939

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: High Performance SC100 Dark Blue PE100 pipe including Clean Pipe, Issue No' 4: Jan 2016

Approval expiry date: 11 July 2022

PE100 High Performance Black Pipe

DWI 56/4/940

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PE100 High Performance Black Pipe. Issue No 03 dated 22/01/2015.

Approval expiry date: 6 May 2020

PE100 High Performance Profuse Pipe including Factory Sealed

DWI

56/4/943

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PE100 High Performance Profuse Pipe including Clean Pipe, Issue No' 3: Jan 2016

Approval expiry date: 11 July 2022

SC100 (PE100) XL large diameter / heavy wall dark blue potable water pipe

DWI 56/4/1146

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue No 01, dated 02/09/2015

Approval expiry date: 2 September 2020

SC80 Service Pipe

DWI 56/4/941

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: SC 80 Service Pipe. Issue No 02, dated 23/01/2015

Approval expiry date: 3 February 2020

Simona UK Ltd

Simona PE100 Pressure Pipe (Type TRST-RO) Blue

DWI 56/4/526

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Simona ® PE100 Pressure pipes manufactured using either Hostalen CPR100Black/Blue or Eltex tub 121 N3000. Issue number 11/14. Dated November 2014

Approval expiry date: 10 November 2019

Simona PE100 Pressure Pipe Black

DWI 56/4/875

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Simona ® PE100 Pressure pipes manufactured using either Hostalen CPR100Black/Blue or Eltex tub 121 N3000. Issue number 11/14. Dated November 2014

Approval expiry date: 10 November 2019

Simona PE100 Pressure Pipe SPC Drinking Water Pipes type TRST-SPC

RO

DWI 56/4/570

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Simona ® PE100 Pressure pipes manufactured using either Hostalen CPR100Black/Blue or Eltex tub 121 N3000. Issue number 11/14. Dated November 2014

Approval expiry date: 10 November 2019

Uponor Infra

KWH pipe hostalen CRP100 Black

DWI 56/4/551

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: KWH045057 Dated 7/10/14

Approval expiry date: 8 March 2020

KWH pipe hostalen CRP100 Blue

DWI 56/4/551

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: KWH045057 Dated 7/10/14

Approval expiry date: 8 March 2020

B.1.2 Polyethylene Barrier pipes

Egeplast International GmbH

Egeplast SLA Barrier Pipes

DWI 56/4/1109

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU – UK. Rev.-Nr.: 11. 23rd February 2015

Approval expiry date: 21 June 2020

GPS

GPS Protecta-Line

DWI 56/4/872

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 7. Dated 14 August 2014

Approval expiry date: 23 November 2019

GPS Protecta-Line 3c

DWI 56/4/873

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use. Issue Number 5, Date 12/06/13. Protecta-Line 3C PE Pipe Coils Made From PE80 Or PE100 Materials

Approval expiry date: 23 November 2019

Polypipe Building Products

Polyguard: Polyethylene/Aluminium/Polyethylene barrier pipes

DWI

56/4/857

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions For Use Document For Polypipe Building Products' Polyguard PE/Al/PE Pressure Pipe to WIS 4-32-19 Made From Ineos Eltex PC-002-50 R568 Blue Polyethylene/Novelis Aluminium. Document Reference: PS 154. Issue No. 1. Dated 4 January 2008

Approval expiry date: 20 September 2020

Polyguard: Polyethylene/Aluminium/Polyethylene barrier pipes

(ME3444)

DWI 56/4/1076

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for use document. Document reference :PS160. Issue no: 1. Date: 28 September 2012

Approval expiry date: 21 January 2023

Radius Systems Ltd

Puriton Pipe

DWI 56/4/1112

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Purition Barrier Pipe. Issue 4 dated 04/11/2016

Approval expiry date: 29 October 2019

B.1.3 Polyvinylchloride (PVC) pipes

Please note that all approved PVC pipes are made with non-lead stabilisers.

Adequa WS S.L.U

Uratop PVC-O Adequa

DWI 56/4/1266

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: URATOP PVC-O ADEQUA

Issue Date: May 2017; Issue No.: Version 2

Approval expiry date: 19 June 2023

Durapipe UK

Durapipe Grey PVC-U Pipe NGS

DWI 56/4/937

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Date of Issue: 03/05/16. Issue Number: 1

Approval expiry date: 4 October 2021

Durapipe PREMIUM PVC-U pipe

DWI 56/4/1226

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Durapipe PREMIUM PVC-U Pipes Issue Date: 03/05/2016, Issue No: 1

Approval expiry date: 5 October 2021

Dyka B.V.

Dyka Grey PVC-U Pipe NGS

DWI 56/4/637

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Dyka - PVC-u Technical Specification. Date of Issue 17/11/2006. Issue Number 1.

Approval expiry date: 4 October 2021

Dyka S.A.S.

Bi-OROC

DWI 56/4/1207

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: BI-OROC PN16 PVC-O Technical Specifications Dated: 14/05/2018; Issue Number: V0

Approval expiry date: 13 October 2021

George Fischer Sales Ltd

GF DEKADUR PVC-U pressure pipe

DWI 56/4/1231

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue No 2, 13 June 2016

Approval expiry date: 26 April 2022

GF PVC-U Inch Pipe

DWI 56/4/1235

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue No. 1, 27 July 2016

Approval expiry date: 31 January 2023

Molecor Tecnología SL

TOM PVC-O Pipe

DWI 56/4/1057

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: TOM PVC Orientated Pipe (PVC-O) Information for Use Document. Edition: 1 January-14/ Revision 1

Approval expiry date: 12 June 2019

Wavin Ireland Ltd

Aquaforce (with non-lead stabiliser)

DWI 56/4/600

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Wavin Aquaforce Instructions for Use. Issue number 04 April 2004

Approval expiry date: 13 February 2022

Wavinmain EN 1452 NGS

DWI 56/4/731

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instruction for Use Document for Wavinmain NGS, Issue 2 dated July 2005

B.1.4 Acrylonitrile-butadiene-styrene copolymer (ABS)

Durapipe UK

Durapipe ABS Pipe Type S

DWI 56/4/660

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: ABS Pipes And Fittings Made From Durapipe ABS Type S, GRET ABS Material Issue 7 Date 24/6/2011

Approval expiry date: 8 August 2021

George Fischer Sales Ltd

GF ABS pressure pipe

DWI 56/4/753

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use (IFU) - GF ABS Pressure Pipe, Issue No 2, Date of Issue: 26 January 2006

B.1.5 Polyethylene terephthalate (PET)

This section contains no products

B.1.6 Glass reinforced plastic (GRP) pipes

Future Pipe Industries B.V

Wavistrong Series

DWI 56/4/656

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use Wavistrong Glassfibre Reinforced Epoxy (GRE) Pipe Systems. Issue No: IFU DW FPI BV Version no: 2.
Date of Issue 22/2/2011

Approval expiry date: 26 February 2022

Iniziative Industriali SpA (Sarplast)

Plastiwind - for use upstream of a Reverse Osmosis unit only DWI 56/4/666

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Section A, GRP Product technical description, revi.2, dated October 20th 2004

Approval expiry date: 1 January 2020

B.1.7 Cement mortar lined pipes

For Products in this section, the following conditions applies:

Before connection to the supply, the water undertaker or their appointed agent, must carry out tests to establish that migration from the cement mortar lining will not cause a contravention of the upper prescribed concentration for hydrogen ion in the relevant Regulations.

B.1.7.1 Cement mortar lined pipes without seal coat

Duktus

Duktus Ductile iron pipes with cement mortar lining for the carriage of Drinking Water

DWI 56/4/948

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use- Duktus Ductile Iron pipes with cement mortar lining for the Carriage of Drinking Water. Issue No: 01/2010. Issue Date: 20/05/10

Approval expiry date: 22 September 2020

Electrosteel Castings Ltd

Electrofresh Ductile Iron Pipe

DWI 56/4/992

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use for Electrofresh Pipes at Site

Work Instruction: WC-04-02

Issue No: 03 Rev. C Issue Date: 25.02.2016

Before connection to supply, the water undertaker or their approved agent, must carry out tests to establish that migration from the cement mortar lining will not cause a contravention of the upper prescribed concentration for hydrogen ion in the relevant regulations.

Approval expiry date: 1 August 2021

Erciyas Celik Boru Sanayi A.S

Erciyas Steel Water Pipe – Cement Lined

DWI 56/4/1047

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instruction For Use. Erciyas Pipeline Systems Steel Water Pipes lined with CEMENT. Document number: TA-04-13, Revision: 2. Date of Issue: 1/02/12

Approval expiry date: 11 December 2021

JINDAL SAW GULF LLC

JSGL-JAL-1A

DWI 56/4/1122

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use document JSGL-IFU-DI-DWI-BFSC-01. Issue 1, Rev. 02. Issued on the: 24/11/2014.

Approval expiry date: 27 January 2020

Jindal Saw Ltd

JSAW-JAL-11A

DWI 56/4/935

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Information for Use Document JSAW-IFU-DI-DWI-BFSC-001 Rev 02. Issue No:03 Date: 20/8/09

JSAW-JAL-1A

DWI 56/4/933

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Information for Use Document JSAW-IFU-DI-DWI-OPC-001 Rev2. Issue No:03 Date: 20/8/09

Saint-Gobain PAM UK Ltd

System CL

DWI 56/4/283

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: SAINT GOBAIN PAM UK. Instructions for Use Document for System CL Pipes. Issue Number 9. Date: 25th May 2009

Approval expiry date: 5 May 2023

Salzgitter Mannesmann Line Pipe GmbH

Saltgitter Mannesmann Line Pipe

DWI 56/4/434

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 1 27th May 2014

Approval expiry date: 14 December 2019

Superior Pipeline Products Ltd

System Cement Mortar Lined Ductile Iron Pipe

DWI 56/4/990

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use System Cement Mortar lined Ductile Iron Pipe Issue no: 4 March 2017

Approval expiry date: 8 November 2022

B.1.7.2 Cement mortar lined pipes with seal coat

Electrosteel Castings Ltd

Electrofresh Plus Pipe lined with 3M Scotchkote Epoxy coating 162

PWX

DWI 56/4/537

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU (instructions for use) for Electrofresh plus products (pipes and fittings) at site . Issue No:03 Rev C Issue Date 06.06.2011

Approval expiry date: 2 August 2021

Jindal Saw Ltd

JSAW-JAL-11B

DWI 56/4/936

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Information for Use Document JSAW-IFU-DI-DWI-BFSC-SC-001 Rev 02. Issue No:03 Date: 20/8/09

JSAW-JAL-1B

DWI 56/4/934

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Information for Use Document JSAW-IFU-DI-DWI-OPC-SC-001 Rev2. Issue No:03 Date: 20/8/09

Saint-Gobain PAM UK Ltd

System XL

DWI 56/4/1317

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: SAINT GOBAIN PAM UK. Instructions for Use Document for System XL. Issue number 8. Dated: 1st January 2013

Approval expiry date: 5 May 2023

B.1.8 Pipes coated with factory applied nylon resins

Leyfos Plastics Limited

Rilsan Nylon Green Coated Pipes and Fittings

DWI 56/4/615

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Creation Date: 1/10/13 Document number: LEYDWI01.. Issue Number 02

Approval expiry date: 26 November 2018

B.1.9 Pipes coated with factory applied epoxy resin

BSR Pipeline Services Ltd

BSR/EPW/004 - Copon Hycote PWX

DWI 56/4/772

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Issue 8 Nov 2010

Approval expiry date: 6 April 2022

Erciyas Celik Boru Sanayi A.S

Erciyas Steel Water Pipes

DWI 56/4/989

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: ERCIYAS Pipeline Systems Steel Water Pipes lined with epoxy coating. Document No: TA-04-29. Date of Issue: 15.07.10. Revision: 1

Erciyas Steel Water Pipes (Eurokote 468 Thixo)

DWI 56/4/1001

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: ERCIYAS Pipeline Systems Steel Water Pipes lined with epoxy coating EUROKOTE 468 Thixo. Document number: TA-04-30 Revision: 1 . Date of Issue: 05.07.18

Approval expiry date: 4 September 2019

Freeflow Pipesystems Ltd

Pipes Lined with Resicoat R4-FB HKC71R

DWI 56/4/817

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 7 Dated 16.04.15

Approval expiry date: 4 May 2020

Lortub S.A.S.

LORTUB Steel Water Fittings lined with High Performance Eurokote 468

Thixo DWI 56/4/1204

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Dated 12/08/2015

Approval expiry date: 8 November 2020

Noksel Steel Pipe Co Inc

Noksel Steel Water Pipe – Coated with Thixo 468

DWI 56/4/1192

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: NOK-INT-0001 23/7/2015

Approval expiry date: 7 October 2020

Northpoint Ltd

Pipes & Fittings coated with Resicote R4

DWI 56/4/659

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU.RESICOTE R4-FB.201711010915 06

Approval expiry date: 17 November 2019

Pipes and fittings lined with Eurokote 468 Thixo

DWI 56/4/1209

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions of Use of pipes lined with Eurokote 468 Thixo Coating System. Issue No 2 26/1/16

Approval expiry date: 13 June 2021

Pipes and Fittings lined with Jotaguard VA 5001

DWI 56/4/1304

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: J-Guard VA 5001 IFU 201711101343.00 Issue Date: 2017-11-10; Issue number: 00

Approval expiry date: 3 December 2022

Pipes lined with Scotchkote 206N

DWI 56/4/602

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use of Pipes lined with Scotchkote 206NTM. Issue 04 dated 06 May 2013

Approval expiry date: 17 November 2019

Orrmac Coatings Limited

Pipes and Fittings lined with Resicoat R4-FB HKC71R

DWI 56/4/771

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue no 5 dated April 2015

Approval expiry date: 31 May 2020

Pipes lined with Scotchkote 162PWX

DWI 56/4/985

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU, Issue 8, Nov 2010

Approval expiry date: 5 March 2022

Saint-Gobain PAM UK Ltd

PaM Natural Pipeline Components

DWI 56/4/618

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue Number 5. Dated 30th September 2014

Approval expiry date: 18 November 2019

STS Tubular Group

Steel pipe coated with 3M Scotchkote Epoxy Coating 162PWX DWI 56/4/993

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: STEEL PIPE COATED WITH 3M SCOTCHKOTE EPOXY COATING 162PWX. 11/09/2015. Issue number 0

Approval expiry date: 3 November 2020

Steel pipe coated with Eurokote 468 Thixo

DWI 56/4/1203

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 3-STS Tubular Group Eurokote 468 Thixo IFU 23 Sept 2015 Rev1

Approval expiry date: 2 March 2021

UTS Engineering Ltd

Fabricated mild steel pipework coated with Scotchkote 162pwx

DWI

56/4/1085

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Pipes lined with Scotchkote 162 PWX Instructions for use Document. Issue 1. Date 5th March 2013

Approval expiry date: 26 April 2023

B.1.10 Stainless steel pipes

ABC Stainless Steel Ltd

Q Pipe System

DWI 56/4/542a

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use : 1. Stainless Steel "Q" pipe system . 2. Stainless steel storage, Process Tanks and Vessels . Issue no: 2 Date: 20th October 2003

Approval expiry date: 4 January 2023

AJ Engineering and Construction Services Ltd

Stainless Steel Pipework and Fabrications

DWI 56/4/1220a

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Stainless Steel Pipework and Fabrications for water use. Issue No: WP 41, Issue date: 04/08/2016

Approval expiry date: 19 September 2021

Alpha Plus Ltd

Stainless Steel Pipework

DWI 56/4/692

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 2 dated 24-6-14

Approval expiry date: 19 August 2019

Amari Metals Ltd

Stainless Steel Tube, Stainless Steel pipe

DWI 56/4/738

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU/DWI/Amari/TP: Issue No 3

Approval expiry date: 19 July 2021

Blackburns Metal Ltd

Stainless Steel ANSI Metric ISO Pipe, Stainless Steel ANSI Metric ISO Tube, Stainless Steel ANSI Metric ISO Fittings

DWI 56/4/1224

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue Number 1, Issue date 26th May 2016

Approval expiry date: 26 June 2021

Bridges Electrical Engineering Ltd

Bridges in-house fabricated stainless steel pipe spools and products DWI 56/4/1268a

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Bridges in-house fabricated stainless steel pipe spools and products , Issue 1 22/03/17

Approval expiry date: 14 May 2022

BSS Industrial

Stainless Steel Tubings and Fittings

DWI 56/4/1017

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue No: BSS_Industrial_IFU_24.04.17v1

Approval expiry date: 4 June 2022

DH Stainless Ltd

Stainless Steel Metric ISO & ANSI welded pipe and fittings DWI 56/4/773

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 1 dated 26th March 2015

Approval expiry date: 4 May 2020

Equipdata Trading

IPSSSPW01 Stainless Steel Pipework and Fabrications DWI 56/4/1316

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use of IPS Product Number IPSSSPW01 – Issue 4; Dated 06/03/2018

Approval expiry date: 10 March 2023

George Green (Keighley) Ltd

Stainless Steel Pipework & Fittings - Flanged/Screwed - All diameters &

Grades

DWI 56/4/699

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 3 dated 13th August 2014

Approval expiry date: 16 September 2019

Homer Burgess Ltd

Tanks and associated Pipework, Weir Plates and Baffle Plates

manufactured from Stainless steel suitable for use with drinking water DWI

56/4/1107a

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Title: Homer Burgess Ltd., Manufacturer's official use instructions for Stainless Steel Products in contact with Drinking Water.. Issue Number Rev: 1 26/01/2016

Approval expiry date: 22 May 2023

Neumo UK Ltd

Neumo Stainless Steel Tube and Fittings

DWI 56/4/1167

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 1 25th November 2014

Approval expiry date: 29 March 2020

OSTP

OSTP Stainless Steel pipe and fittings of 12mm bore or greater.

DWI

56/4/516

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 1, Dated 8/4/14

Approval expiry date: 20 July 2019

Powerrun Pipe-Mech Ltd

Powerrun fabricated stainless steel pipework

DWI 56/4/769

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PFSSP Rev b dated 19.12.14

Approval expiry date: 27 January 2020

Righton Ltd

Stainless Steel pipes, Stainless Steel Tube, Stainless Steel Fittings

DWI

56/4/1221

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue Number 1, Issue date 26th May 2016

Approval expiry date: 22 June 2021

Ross-shire Engineering Ltd

Stainless steel process pipework systems

DWI 56/4/1034

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue: Information for Use Drinking Water Stainless Steel Process Pipework Systems. Issue No: 2 Issue Date: 23-06-16

Approval expiry date: 1 September 2021

Staptina Engineering Services Ltd

Staptina Bespoke stainless steel fabrications: Pipework, Baffles, Troughs, Tanks, Support and Access systems

DWI 56/4/567a

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 24838IFU 12 June 2013

Approval expiry date: 31 March 2019

B.1.11 Coated pipes suitable for total immersion in water

Saint-Gobain PAM UK Ltd

System CL

DWI 56/4/283

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: SAINT GOBAIN PAM UK. Instructions for Use Document for System CL Pipes. Issue Number 9. Date: 25th May 2009

Before connection to the supply, the water undertaker or their appointed agent must carry out tests to establish that migration from the cement mortar lining will not cause a contravention of the upper prescribed concentration for hydrogen ion in the relevant Regulations.

Approval expiry date: 5 May 2023

System XL

DWI 56/4/1317

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: SAINT GOBAIN PAM UK. Instructions for Use Document for System XL. Issue number 8. Dated: 1st January 2013

Before connection to the supply, the water undertaker or their appointed agent must carry out tests to establish that migration from the cement mortar lining will not cause a contravention of the upper prescribed concentration for hydrogen ion in the relevant Regulations.

Approval expiry date: 5 May 2023

B.1.12 Pipes coated with a factory applied polyolefin

Saint-Gobain PAM UK Ltd

Blutop

DWI 56/4/823

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue Number 3. Dated 30th September 2014. Date: 1st January 2009

Approval expiry date: 18 November 2019

B.2 Well Casings, Screens and Rising Mains

Angus Flexible Pipelines

Angus Wellmaster Flexible Rising Main

DWI 56/4/1020

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE (IFU) DOCUMENT ANGUS/IFU/WM. Wellmaster The Flexible Rising Main. Document: ANGUS/IFU/WM. Issue: 004. Dated: September 2016

Prior to use the water supplier carries out a risk assessment to provide for a suitable flushing regime validated, where appropriate, by monitoring when the product has been out of supply for a period of time.

Approval expiry date: 9 October 2021

Bilfinger Water Technologies

Screens, Casing and Accessories for Water Wells

DWI 56/4/653

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 1 dated 26/11/13

Approval expiry date: 22 June 2019

Boode UK Ltd

Boode Waterwell Systems PVC Screen and Casing

DWI 56/4/958

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Boode Waterwell Systems PVC Screen and Casing. Instructions for Use . Issue 2 - 1.1.2018

Approval expiry date: 9 July 2023

GOLAN Plastic Products Ltd

PEXGOL

DWU 56/4/1259

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue No. 1. Dec 2016

Approval expiry date: 17 February 2023

Stuwa-Konrad Stuckerjurgan GmbH

PVC Screens, Casings, Fittings and Accessories

DWI 56/4/1061

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU approval STÜWA – Konrad Stükerjürgen GmbH. PVC screens and casings. Issue date = 07/19/2012. Issue number = 3

Approval expiry date: 13 December 2018

Stainless Steel Screens, Casings, Fittings and Accessories

DWI 56/4/1060

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU approval STÜWA – Konrad Stükerjürgen GmbH. Stainless steel screens and casings. Issue date = 07/19/2012. Issue number = 3

Approval expiry date: 23 July 2022

STUWA Stainless Steel Riser Pipes

DWI 56/4/1077

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Approval STÜWA – Konrad Stükerjürgen GmbH. Stainless Steel Riser Pipes. Issue 2 Dated 29/11/2012

Approval expiry date: 11 September 2022

B.3 Products for Conveyance of Water -Emergency Use

For products in this section the following condition applies:

These products are primarily intended for emergency use and are approved for limited use only and may not be permanently installed in, or used in conjunction with any system for treating or distributing public water supplies. If the proposed use will extend beyond a 90 day period of use on any one occasion, then advice from the DWI should be sought before installation and use.

NOTE: some of these products may be suitable for limited use during planned maintenance. In this case it is the responsibility of the water supplier to undertake a thorough risk assessment of the proposed use, including fitness-for-purpose and why other products, already fully approved under the relevant regulations cannot be used. Use of any of these products during planned maintenance shall be in accordance with the condition set out above.

B.3.1 Hoses

Angus Flexible Pipelines

Super Aquaduct

DWI 56/4/1005

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE (IFU) DOCUMENT. ANGUS SUPER AQUADUCT. Document: ANGUS/IFU/SA. Issue: 006.
Dated: September 2016

(i) after disinfection the product is flushed for its entire length before being brought into service; (ii) when in use the main is kept continually in flow; (iii) the product is primarily intended for emergency use and is approved for limited use only and may not be permanently installed in, or used in conjunction with any system for treating or distributing public water supplies. If the proposed use will extend beyond a 90 day period of use on any one occasion, then advice from DWI should be sought before installation and use.

Approval expiry date: 9 October 2021

Parker Snap-tite

Snap-Tite TE Range – Blue Hose

DWI 56/4/62

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: LAYFLAT POTABLE WATER HOSE ASSEMBLIES FOR EMERGENCY USE 'SNAP-TIE TE RANGE' – Blue Hose. USER INSTRUCTIONS FOR CARE AND MAINTENANCE. Revision TE-5.
Date: July 2014

Approval expiry date: 6 July 2019

B.3.2 Bowsers/tanks

Bowser Supply Ltd

Emergency Water Bowser

DWI 56/4/1155

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 1 (29th October 2014)

Approval expiry date: 18 January 2020

Enduramaxx Ltd

Enduratank

DWI 56/4/1242

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Enduratank Potable Water Storage Tanks, Issue number: 1 Issue date 27/10/16

The product is approved for emergency use only and may not be permanently installed in any system for treating or distributing public water supplies. If the proposed use will extend beyond a 90 day period of use on any one occasion, then advice from the DWI should be sought before installation and use.

Approval expiry date: 9 April 2022

JFC Manufacturing Co. Ltd

AquaCube Emergency Water Tank

DWI 56/4/765

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use Revision 001, May 2016

Approval expiry date: 3 October 2021

Trailer Engineering Ltd

Emergency Drinking Water Browsers

DWI 56/4/707

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Drinking Water Bowser Operating Manual, Vol. 7, dated October 2004

Approval expiry date: 28 October 2019

Western

Aquastax and Polytank Emergency browsers/tanks

DWI 56/4/825

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Date of Issue: 14th July 2015. Issue 3 W003.063 Version

Approval expiry date: 29 September 2020

Whale Tankers Ltd

Whale Drinking Water Bowser

DWI 56/4/662

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue date 30/07/2013

Approval expiry date: 10 December 2023

B.3.3 Liner bags

Arlington Packaging (Rental) Ltd

Arlington 1000 Litre Bag-in-Box Combo Liner

DWI 56/4/796

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: The Instructions For Use for Arlington 1000 Litre Bag-in-Box Combo Liner, Issue 2/2006/Cube, dated October 2006

Approval expiry date: 28 June 2020

DS Smith United Kingdom

1100LLA958 Bag 1100L 3 Ply Blue IBC (2"/2" INTEG)

DWI 56/4/849

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 4 dated 11 February 2015

Approval expiry date: 28 June 2020

PART C LINING, COATINGS, SEALANT AND REPAIR MATERIALS

C.1 In-situ Installed (tubular) pipe linings

Aqualiner Ltd

Water Pipe Lining

DWI 56/4/910

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use: Water Pipe Lining. Version No 5 Issue Date: 21 October 2010

Approval expiry date: 6 November 2021

C.2 In-situ applied Pipe Coatings

In-situ applied lining products approved for use by the Authorities for the relining of existing water mains/pipes must be applied in accordance with strict operational requirements as documented in the Water Industry Information & Guidance Note IGN 4-02-02 <http://www.water.org.uk/home/member-services/wis-and-ign/archived-documents/ign-4-02-02.pdf> "Code of Practice: In-situ resin lining of water mains" and the Water Industry Specification WIS 4-02-01 <http://www.water.org.uk/home/member-services/wis-and-ign/archived-documents/wis-4-02-01-v2.1---march-2009.pdf> "Operational Requirements: In situ resin lining of water mains".

The coatings listed in this section have been subject to review by DWI (including testing), on the basis of their proposed use with inert substrates such as metallic or cement based structures (or as specified in the manufacturer's Instructions for Use (IFU)), and upon the detailed application and curing requirements set out in the IFU. They have not been evaluated for any other aspect, such as fitness for purpose.

For use with other non-metallic non-cementitious materials, such as plastics, other coatings/linings, and rubbers, a specific application for approval would be required for use of the coating with a specific substrate.

C.2.1 Coatings based on epoxy resins

These products must be applied by a certified contractor.

Radius Subterra – a part of RadiusPlus Ltd

Subcote 173/90

WS 34/1/124a

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Subterra Subcote 173/90 Issue 10. Date 22 Sept 2017

Approval expiry date: 4 October 2022

C.2.2 Coatings based on polyurethane

These products must be applied by a certified contractor.

3M United Kingdom

3M Scotchkote Pipe Protection Liner 2100

DWI 56/4/1037

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU 29P-2100

In-situ rapid setting polymeric lining of potable water mains. Coating system 3M Scotchkote Pipe Protection Liner 2100

Issue 7 – January 2018

Approval expiry date: 15 March 2023

3M Scotchkote Pipe Renewal Liner 2400

DWI 56/4/1031

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 3M Scotchkote Pipe Renewal Liner 2400 Instructions for Use Document 29P-2400 June 2017 Issue number 6

Approval expiry date: 2 October 2022

Radius Subterra – a part of RadiusPlus Ltd

Subcote FLP

DWI 56/4/698a

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: SUBTERRA SUBCOTE FLP PRODUCT DESCRIPTION AND MANUFACTURER'S INSTRUCTIONS FOR USE. Document Reference –Subterra Subcote FLP Issue 17 dated 19 February 2015 – A two part solvent free polyurethane resin approved for the in situ lining of potable water mains.

The minimum cure time is one hour at a minimum temperature of 3°C.

Approval expiry date: 1 November 2020

C.2.3 Coatings for small diameter pipes

This section covers pipes up to 75 mm internal diameter. The products listed in this section shall be applied by certified contractors in accordance with strict operational requirements as documented in the Water Industry Specification WIS 4-02-03 "Operational Requirements : In-situ polymeric lining of service pipes" (document is available from <https://www.water.org.uk/publications/WIS-IGN>)

3M United Kingdom

3M Scotchkote Rapid Setting Polymeric Lining 166L

DWI 56/4/1032

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 29P-SP. Issue No: 7. Issue Date: March 2017

Approval expiry date: 29 July 2022

Pipe Restoration Technologies LLC

ePipe UK

DWI 56/4/995

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IN-SITU HYDROPHOBIC POLYMERIC LINING OF POTABLE WATER SERVICE LINES. Internal Coating System ePIPE® UK

Issue Date: July 6, 2017 Issue No: 010

Approval expiry date: 1 October 2022

C.3 Site applied coatings for water retaining structures

The products listed below in this section, in addition to being approved for site applied coatings for water retaining structures, are suitable for use in large diameter mains where they can be applied by hand e.g. brush or spray.

The coatings listed in this section have been subject to review by DWI (including testing), on the basis of their proposed use with inert substrates such as metallic or cement based structures (or as specified in the manufacturer's Instructions for Use (IFU)), and upon the detailed application and curing requirements set out in the IFU. They have not been evaluated for any other aspect, such as fitness for purpose.

For use with other non-metallic non-cementitious materials, such as plastics, other coatings/linings, and rubbers, a specific application for approval would be required for use of the coating with a specific substrate.

C.3.1 Coatings based on epoxy resins

The following conditions apply unless otherwise indicated:

- (i) the minimum cure time is 16 hours; and
- (ii) the minimum cure temperature is 3°C.

3M United Kingdom

3M Scotchkote Epoxy Coating 162PWX plus 3M Scotchkote Epoxy Coating 162PW Stripe Coat

DWI 56/4/300

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions For Use Document 10T – E. Coating System, 3M Scotchkote Epoxy Coating 162PWX. Issue No: 7 Issue, Date: March 2015

This product must be cured for a minimum of 21 days at a minimum temperature of 7°C days or in accordance with the cure curve provided in the manufacturer's instructions for use document.

Approval expiry date: 24 August 2020

Radius Subterra – a part of RadiusPlus Ltd

Subcote 173/90

WS 34/1/124b

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Subterra Subcote 173/90 Issue 4. Date 22 September 2017

Approval expiry date: 4 October 2022

Sherwin-Williams Protective and Marine Coatings

Macropoxy P300

DWI 56/4/253

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Issue Number 7 (May 2016)

Approval expiry date: 1 September 2021

Sika Ltd

Sikagard 62

DWI 56/4/197

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use Sikagard 62 -2 part Epoxy protective coating Issue No :002 Issue Date: May 2012

The product must be cured in accordance with the cure curves provided in the Instructions for Use. The required cure time can be calculated by the user from the minimum daily temperature at the site of application. If the temperature cannot be measured and recorded then a minimum cure period of 21 days must be used.

Approval expiry date: 3 September 2022

C.3.2 Coatings based on polyurethane

BASF plc Construction Chemicals (UK) Ltd

Masterseal M 808

DWI 56/4/1080a

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: MasterSeal M808 - APPLICATION TO POTABLE WATER CONTACT AREAS INSTRUCTIONS FOR USE Ref Rev 5 22052018

This product must be cured for a minimum of 7 days at a minimum temperature of 7°C or in accordance with the cure curve provided in the manufacturer's instructions for use document

Approval expiry date: 16 December 2018

Masterseal M 808 additional light grey colour

DWI 56/4/1080b

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: MasterSeal M808 - APPLICATION TO POTABLE WATER CONTACT AREAS INSTRUCTIONS FOR USE Ref Rev 5 22052018

This product must be cured for a minimum of 7 days at a minimum temperature of 7°C or in accordance with the cure curve provided in the manufacturer's instructions for use document

Approval expiry date: 16 December 2018

Irathane Futura A Division of ITW Ltd

Aqualine 650 with Irabond BC50

DWI 56/4/276

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use – Lining Potable Water Structures using the Aqualine 650 and Irabond BC50 System. Issue 3 October 2017

The product must be cured for a minimum of 21 days at a minimum temperature of 7°C.

Approval expiry date: 1 January 2020

Line-X Protective coatings

Aquaurethane Extreme

DWI 56/4/874

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use (IFU). LINE-X Aquaurethane Extreme. Issue number 7, August 2016

- i) The product must be cured for a minimum of 5 days at a minimum substrate temperature of 3°C and
- ii) this product is for use on water retaining structures only.

Approval expiry date: 18 September 2021

Radius Subterra – a part of RadiusPlus Ltd

Subcote FLP

DWI 56/4/698b

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Subterra Subcote FLP Tanks & Reservoirs Issue 1 dated 30 September 2015 - A two-part solvent-free polyurethane resin approved for the in-situ lining of steel water tanks and concrete reservoirs

Approval expiry date: 5 November 2020

Spencer Coatings Limited

Acothane DW Blue

DWI 56/4/1059

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions For Use Document - Acothane DW. Issue 7, dated February 2014

The product must be cured for a minimum period of 7 days at a minimum temperature of 3°C.

Approval expiry date: 24 November 2019

Acothane DW Cream

DWI 56/4/1052

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions For Use Document - Acothane DW. Issue 7, dated February 2014

The product must be cured for a minimum period of 7 days at a minimum temperature of 3°C.

Approval expiry date: 24 November 2019

Acothane LV Sealer

DWI 56/4/1058

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions For Use Document - Acothane DW. Issue 7, dated February 2014

The product must be cured for a minimum period of 3 hours at a minimum temperature of 3°C, this product must then be overcoated with Acothane DW.

Approval expiry date: 24 November 2019

C.4 Flexible covers and linings for water retaining structures

Note: Laminated flexible covers and linings for water retaining structures may not necessarily have been assessed for uses totally immersed in water, e.g. as baffles. For information on use see individual product Instructions for Use (IFU) document.

BASF Polyurethanes GmbH

Elastocoast 6551/102

DWI 56/4/954

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use (IFU) Application of Elastocoast 6551/102 for water reservoirs before treatment. Issue 1.1 -05/07/2010

- (i) this product is for use on raw water reservoirs only
- (ii) this product must be cured for a minimum period of 7 days at a minimum cure temperature of 7°C

Elastocoast 6551/103

DWI 56/4/953

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use (IFU) Application of Elastocoast 6551/103 for water reservoirs before treatment. Issue 1.2 -05/07/2010

- (i) this product is for use on raw water reservoirs only
- (ii) this product must be cured for a minimum period of 48 hours at a minimum cure temperature of 7°C

Flag S.p.a

Flagon Geo P/AT

DWI 56/4/856

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: MANUFACTURER'S OFFICIAL INSTRUCTIONS FOR USE (IFU). ISSUE NUMBER: 3. 18.02.2014. PRODUCT: FLAGON GEO P/AT

Approval expiry date: 4 October 2022

Sensor (UK) Ltd

Sensorline

DWI 56/4/1066a

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: SENSORLINE – PE GEOMEMBRANES (IFU VERSION 4.9)

Issue date 9 November 2015

Approval expiry date: 19 March 2023

C.5 Cementitious coatings

BASF plc Construction Chemicals (UK) Ltd

MasterSeal 581

DWI 56/4/1227

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: MasterSeal 581 - APPLICATION TO POTABLE WATER CONTACT AREAS INSTRUCTIONS FOR USE Ref Rev 2 22052018

This product must be cured for a minimum of 3 days at a minimum temperature of 3°C or in accordance with the cure curve provided in the manufacturer's instruction for use document

Approval expiry date: 30 June 2021

MasterSeal 581 with MasterSeal 600

DWI 56/4/1103

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: MasterSeal 581 with MasterSeal 600 - APPLICATION TO POTABLE WATER CONTACT AREAS INSTRUCTIONS FOR USE Ref Rev 2 22052018

This product must be cured for a minimum of 21 days at a minimum temperature of 7°C or in accordance with the cure curve provided in the manufacturer's instruction for use document

Approval expiry date: 28 April 2019

MasterSeal 588

DWI 56/4/1128

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: MasterSeal 588 - APPLICATION TO POTABLE WATER CONTACT AREAS INSTRUCTIONS FOR USE Ref Rev 3 22052018

This product must be cured for a minimum of 21 days at a minimum temperature of 7°C or in accordance with the cure curve provided in the manufacturer's instruction for use document

Approval expiry date: 28 April 2019

MasterSeal M586 with MasterSeal M600

DWI 56/4/86

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: MasterSeal 586/MasterSeal 600 - APPLICATION TO POTABLE WATER CONTACT AREAS INSTRUCTIONS FOR USE Ref Rev 3 22052018

This product must be cured for a minimum of 3 days at a minimum temperature of 3°C or in accordance with the cure curve provided in the manufacturer's instruction for use document

Approval expiry date: 30 March 2020

British Cement Association

Cemline II

DWI 56/4/465

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: NA

Use of these generic products must conform to the In-situ cement mortar lining-Operational Guidelines and Codes of Practice published by Water Research Centre plc, 1990 (ISBN 0902156 84 5).

Flexcrete Technologies Ltd

Flexcrete Cementitious Coating 851 Grey

DWI 56/4/1159

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTION FOR USE IN PUBLIC WATER SUPPLY. CEMENTITIOUS COATING 851 GREY & WHITE. Bulletin No. 851/851W/031/009. Issued: October 2016

This product must be cured for a minimum of 21 days at a minimum temperature of 7°C or in accordance with the cure curve provided in the manufacturers IFU

Approval expiry date: 27 December 2021

Flexcrete Cementitious Coating 851 White

DWI 56/4/1160

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTION FOR USE IN PUBLIC WATER SUPPLY. CEMENTITIOUS COATING 851 GREY & WHITE. Bulletin No. 851/851W/031/008. Issued: July 2016

This product must be cured for a minimum of 7 days at a minimum temperature of 7°C or in accordance with the cure curve provided in the manufacturers IFU

Approval expiry date: 17 August 2021

Monolevel 844SP

DWI 56/4/1161

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTION FOR USE IN PUBLIC WATER SUPPLY. MONOLEVEL 844SP. Bulletin No.844SP/031/008 October 2016

Approval expiry date: 6 November 2020

Fosroc Ltd

Nitocote CM 210

DWI 56/4/1067

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Nitocote CM210 instructions for Use . Issue ref :IFU CM210 Ver2 Issue Date: Sept 2012

The minimum cure time is 7 days at a minimum temperature of 7°C

Approval expiry date: 27 September 2022

International Paint Ltd

Intercrete 4820

DWI 56/4/1054

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU in Public Water Supply_4820_200117, Issue Jan 17
The product must be cured in accordance with the cure curves provided in the Instructions for Use. The required cure time can be calculated by the user from the minimum daily temperature at the site of application. If the temperature cannot be measured and recorded then a minimum cure period of 21 days must be used. The minimum temperature for application is 5°C.

Approval expiry date: 17 May 2022

Intercrete 4841

DWI 56/4/1053

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU in Public Water Supply_4841_200117, Issue Jan17
The product must be cured in accordance with the cure curves provided in the Instructions for Use. The required cure time can be calculated by the user from the minimum daily temperature at the site of application. If the temperature cannot be measured and recorded then a minimum cure period of 21 days must be used. The minimum temperature for application is 7°C

Approval expiry date: 17 May 2022

National Cement Distribution Ltd

NATCEM AC

DWI 56/4/840

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue no.2 September 2013

Approval expiry date: 5 May 2020

Vandex International Ltd

CEMLINE BB G

DWI 56/4/1092

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: VXI IFU UK CEMLINE BB-G, 12.2015 / 1

Approval expiry date: 2 December 2023

CEMLINE UM1

DWI 56/4/1099

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: VXI IFU UK CEMLINE UM1, 12.2015 / 1

Approval expiry date: 2 December 2023

CEMLINE BB-W

DWI 56/4/1093

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: VXI IFU UK CEMLINE BB-W, 12.2015 / 1

Approval expiry date: 2 December 2023

CEMLINE CG

DWI 56/4/1094

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: VXI IFU UK CEMLINE CG, 12.2015 / 1

Approval expiry date: 2 December 2023

VANDEX PREMIX

DWI 56/4/1097

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 1.12.2013/1st issue

Approval expiry date: 2 December 2023

VANDEX SUPER

DWI 56/4/1098

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 1/12/2013/1st issue

Approval expiry date: 2 December 2023

Xypex (UK) LLP

Xypex Concentrate

DWI 56/4/1261

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue No. 0610C - 6th October 2016

Approval expiry date: 16 February 2022

Xypex Modified

DWI 56/4/1262

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE. XYPEX MODIFIED. ISSUE NO: 1210M – 12th October 2016

Approval expiry date: 16 February 2022

C.6 Sealant & Repair Materials

BASF plc Construction Chemicals (UK) Ltd

MasterEmaco S420 with MasterSeal 600

DWI 56/4/1064

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: MasterEmaco S420 with MasterSeal 600 - APPLICATION TO POTABLE WATER CONTACT AREAS INSTRUCTIONS FOR USE Ref Rev 2 22052018

Before connection to the supply, the water undertaker or their appointed agent, must carry out tests to establish that migration from the cement mortar lining will not cause a contravention of the upper prescribed concentration for hydrogen ion in the relevant Regulations . This product must be cured for a minimum of 3 days at a minimum temperature of 7°C or in accordance with the cure curve provided in the manufacturer's instruction for use document

Approval expiry date: 25 February 2023

MasterSeal 930 and MasterSeal 933

DWI 56/4/144

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: MasterSeal 930 joint bandage with MasterSeal 933 adhesive - APPLICATION TO POTABLE WATER CONTACT AREAS INSTRUCTIONS FOR USE Ref Rev 2 22052018

This product must be cured for a minimum of 10 days at a minimum temperature of 7°C or in accordance with the cure curve provided in the manufacturer's instruction for use document

Approval expiry date: 28 April 2019

Flexcrete Technologies Ltd

Fastfill

DWI 56/4/1162

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTION FOR USE IN PUBLIC WATER SUPPLY. FASTFILL. Bulletin No.FF/031/008. Issued: September 2016
This product must be cured for a minimum of 21 days at a minimum temperature of 7°C or in accordance with the cure curve provided in the manufacturers IFU

Approval expiry date: 5 October 2021

Monomix

DWI 56/4/1163

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTION FOR USE IN PUBLIC WATER SUPPLY. MONOMIX. Bulletin No.MON-031-008. Issued: October 2016

Approval expiry date: 28 October 2020

Monomix WS

DWI 56/4/397

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTION FOR USE IN PUBLIC WATER SUPPLY. MONOMIX. Bulletin No. MONWS/031/008. Issued: October 2016

Approval expiry date: 25 April 2021

Steel Reinforcement Protector 841

DWI 56/4/1164

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use in Public Water Supply for Flexcrete Steel Reinforcement Protector 841. Bulletin No. 841031/007 Issued October 2016.

This product must be cured for a minimum of 21 days at a minimum temperature of 7°C or in accordance with the cure curve provided in the manufacturers IFU

Approval expiry date: 17 August 2021

Tiefill

DWI 56/4/1287

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Tiefill Bulletin No. TF/031/001 Issued: September 2016

Approval expiry date: 1 October 2022

Fosroc Ltd

Conbextra Bedding Mortar

DWI 56/4/1271

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Conbextra Bedding Mortar IFU Issue date: Apr 2017; Issue number BM1

Approval expiry date: 28 November 2022

Renderoc Plug 20

DWI 56/4/297

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Renderoc Plug 20. Instructions for use. Ref: RRP20 IFU v3; Apr 13

Approval expiry date: 26 April 2023

International Paint Ltd

Intercrete 4802

DWI 56/4/1055

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU in Public Water Supply_4802_200117, Issue Jan 17
The product must be cured in accordance with the cure curves provided in the Instructions for Use. The required cure time can be calculated by the user from the minimum daily temperature at the site of application. If the temperature cannot be measured and recorded then a minimum cure period of 21 days must be used. The minimum temperature of application is 10°C

Approval expiry date: 17 May 2022

Intercrete 4871

DWI 56/4/1056

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU in Public Water Supply_4871_200117, Issue Jan 17
The product must be cured in accordance with the cure curves provided in the Instructions for Use. The required cure time can be calculated by the user from the minimum daily temperature at the site of application. If the temperature cannot be measured and recorded then a minimum cure period of 21 days must be used. The minimum temperature of application is 10°C

Approval expiry date: 17 May 2022

MG Solutions (UK) Ltd

Aquron 2000

DWI 56/4/1291

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Aquron 2000 Colliodal Silicate for waterproofing of concrete IFU. Issue Date 21/08/2017; Issue Number 1.1

Approval expiry date: 2 November 2022

National Cement Distribution Ltd

NATCEM 35

DWI 56/4/1090

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Product Information: NATCEM 35 Fast Setting and Fast Curing Mortar . Issue date 26/06/2017 issue number 01

Approval expiry date: 10 March 2023

NATCEM AC

DWI 56/4/840

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue no.2 September 2013

Approval expiry date: 5 May 2020

NATCEM D

DWI 56/4/1216

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE DRY PRE-BLENDED GROUT NATCEM D

Issue Date: 23/03/16, Issue Number 1

Approval expiry date: 27 December 2021

NATCEM DW

DWI 56/4/1049

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Natcem DW- Fast Setting Mortar. Issue date: 2013-03020; Issue number: 01

Approval expiry date: 10 March 2023

Shotcrete 513

DWI 56/4/1089

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Shotcrete 513 - Fast Setting Dry Spray Concrete. Issue date: 2017-06-26; Issue number: 01

Approval expiry date: 10 March 2023

Waterstop

DWI 56/4/1217

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: FAST SETTING NATURAL CEMENT WATERSTOP

Issue: 2, Date: 20/10/2016

Approval expiry date: 27 December 2021

Penetron UK Ltd

Penecrete Mortar

DWI 56/4/1130

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instruction for Use PENECECRETE MORTAR CRYSTALLINE WATERPROOF MORTAR. Issue No: I/1, Issue date: 12/02/2014
Before connection to the supply, the water undertaker or their appointed agent, must carry out tests to establish that migration from the cement mortar lining will not cause a contravention of the upper prescribed concentration for hydrogen ion in the relevant Regulations.

Approval expiry date: 18 September 2019

Penectron Crystalline Waterproof Coating

DWI 56/4/1137

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instruction for Use PENETRON CRYSTALLINE WATERPROOF COATING. Issue No: I/1, Issue date: 19/05/2014

Approval expiry date: 19 September 2019

Sika Ltd

Sika Monotop 610/615 Concrete Repair System

DWI 56/4/834

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Sika Mono Top – 615 Cementitious High Build Concrete Repair Mortar. Issue No: 001. September 2007

The product must be cured in accordance with the cure curves provided in the IFU. The required cure time can be calculated by the user from the minimum daily temperature at site of application. If the temperature cannot be measured and recorded then a minimum cure period of 21 days at a minimum substrate temperature for application is 5°C.

Approval expiry date: 12 March 2022

Sikadur Combiflex SG jointing system using Sikadur 31 DW DWI 56/4/94

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Sikadur Combiflex SG Jointing system Issue No:006 October 2011

The minimum cure temperature is 7°C for a minimum cure time of 21 days. At temperatures greater than 7°C the product must be cured in accordance with the cure curve provided in the Instructions For Use. The required cure time can be calculated by the user from the minimum daily temperature which must be recorded at site.

Approval expiry date: 3 October 2021

Sikadur Combiflex SG jointing system, using Sikadur 31 DW Rapid DWI 56/4/1124

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Sikadur Combiflex SG Jointing System, using Sikadur 31 DW Rapid. Issue No: 01, September 2013

This product must be cured for a minimum cure period of 7 days at a minimum temperature of 7°C.

Approval expiry date: 10 December 2019

Vandex International Ltd

CEMLINE STON DWI 56/4/1095

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: VXI IFU UK CEMLINE STON, 12.2015 / 1

Approval expiry date: 2 December 2023

Vandex Plug DWI 56/4/1096

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 1.12.2013/1st issue

Approval expiry date: 2 December 2023

Xypex (UK) LLP

Xypex Admix C-1000 NF DWI 56/4/1263

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue No 1210A1 - 12th October 2016

Approval expiry date: 16 February 2022

Xypex Patch'n Plug DWI 56/4/1100

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 014 P 1 April 2013

Approval expiry date: 5 June 2019

PART D MEMBRANE AND FILTRATION SYSTEMS

For products in this section the following general condition applies:

Products must be installed upstream of any final point of disinfection.

D.1 Membrane and Filtration Elements/Systems

Amazon Filters Ltd

Amazon SupaGard Cartridge Filters

DWI 56/4/702

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE. AMAZON SUPAGARD AND SUPASPUN II FILTER CARTRIDGES. ISSUE NUMBER: 9. DATE: 25th February 2010

Approval expiry date: 11 August 2020

Amazon SupaSpun II Cartridge Filters

DWI 56/4/702

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE. AMAZON SUPAGARD AND SUPASPUN II FILTER CARTRIDGES. ISSUE NUMBER: 9. DATE: 25th February 2010

Approval expiry date: 11 August 2020

Aquasource S.A.S

Aquasource Membrane Module Series AC300

DWI 56/4/984

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: AQUASOURCE INSTRUCTIONS FOR USE. MEMBRANE MODULE SERIE AC300 INEA AND LIFEA FIBRE. Parts 1, 2, & 3. Updated 25th January 2010. Version 00

Approval expiry date: 30 April 2019

Envirogen Group

Deltapor MW and MWA Filter Cartridges

DWI 56/4/1274

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Envirogen Deltapor MW and MWA Filter Cartridges, Issue Date; 26/09/2017; Issue Number 2

Approval expiry date: 3 April 2023

Evoqua Water Technologies Ltd

Memcor CMF- S S10V Range of Microfiltration submodules (submerged PVDF Membranes) with optional Memcor EF

DWI 56/4/973

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE DOCUMENT FOR THE MEMCOR CMF-S S10V MICROFILTRATION SUBMODULES (SUBMERGED PVDF MEMBRANES). Issue:- L Date:- 05.06.14

Approval expiry date: 19 January 2022

Memcor CMF-L L10N

DWI 56/4/1254

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue date: 05/06/14 Issue No: OM-12596B

Approval expiry date: 5 March 2022

Memcor CMF-L L10V Range of Microfiltration Submodules (PVDF Membranes)

DWI 56/4/977

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE DOCUMENT FOR THE MEMCOR CMF-L L10V MICROFILTRATION SUBMODULES (PVDF MEMBRANES). Issue:-H Date:- 05.06.14

Approval expiry date: 19 January 2022

Memcor CMF-L L20N

DWI 56/4/1255

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue date: 05/06/14 Issue No: OM-12597B

Approval expiry date: 5 March 2022

Memcor CMF-L L20V Range of Microfiltration Submodules (PVDF Membranes)

DWI 56/4/978

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE DOCUMENT FOR THE MEMCOR CMF-L L20V MICROFILTRATION SUBMODULES (PVDF MEMBRANES). Issue:-D Date:- 05.06.14

Approval expiry date: 19 January 2022

Memcor CMF-L L40N

DWI 56/4/1305

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use document for the MEMCOR CP2 L40N ULTRAFILTRATION SUBMODULE (PVDF MEMBRANE)

Issue date: 16/11/2017; Issue No: OM-13807 A

Products must be installed upstream of any final point of disinfection

Approval expiry date: 22 January 2023

Memcor CMF-M10C Continuous Microfiltration Module (Polypropylene Membranes)

DWI 56/4/975

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE DOCUMENT FOR THE MEMCOR CMF M10C CONTINUOUS MICROFILTRATION MODULE (POLYPROPYLENE MEMBRANES). Issue:- F Date:- 05.06.14

Approval expiry date: 19 January 2022

Memcor CMF-S S10N

DWI 56/4/1256

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue date: 09/09/15 Issue No: OM-13219A

Approval expiry date: 5 March 2022

Memcor CMF-S S10T Microfiltration Submodule (submerged Polypropylene Membranes) optional Memcor EF

DWI 56/4/976

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE DOCUMENT FOR THE MEMCOR CMF-S S10T MICROFILTRATION SUBMODULE (SUBMERGED POLYPROPYLENE MEMBRANES). Issue:-G
Date:- 05.06.14

Approval expiry date: 19 January 2022

GE Water & Process Technologies

Ultrafiltration element ZW700B-8060/UF10/7B/R/0.8/40

DWI 56/4/1125

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: UKDWI/ZW700B-8060/Original

Approval expiry date: 19 January 2021

Ultrafiltration element ZW700B-8060/UF10/7B/X/0.8/40

DWI 56/4/1126

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: UKDWI/ZW700B-8060/Original

Approval expiry date: 19 January 2021

GE Water & Process Technologies Hungary Kft

ZeeWeed 1000 V4

DWI 56/4/1177

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use Document for the ZeeWeed® 1000 V4 module. Document number: UKDWI/1000V4/Original. Date of Issue: 22 January 2015

Approval expiry date: 27 April 2020

ZeeWeed 1500 Module

DWI 56/4/1013

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use Document for the ZeeWeed® 1500 module. Document number: UKDWI/1500/Revision 5. Date of Issue: 14 January 2014

Approval expiry date: 10 June 2019

ZeeWeed 500c, Membrane Filtration Module

DWI 56/4/628

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use Document for the ZeeWeed 500c Membrane Filtration Module. Document number: UKDWI/500c Revision 6. Date of Issue: 22 January 2015.

Approval expiry date: 8 February 2022

ZeeWeed 500d (340) Membrane Filtration Module

DWI 56/4/835

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use Document for the ZeeWeed® 500d (340), 500d (440), 500ds (350) Membrane Filtration Modules. Document number: UKDWI/500d Revision 6.5. Date of Issue: 22th January 2015.

Approval expiry date: 21 February 2021

ZeeWeed 500d (440) Membrane Filtration Module

DWI 56/4/835

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use Document for the ZeeWeed® 500d (340), 500d (440), 500ds (350) Membrane Filtration Modules. Document number: UKDWI/500d Revision 6.5. Date of Issue: 22th January 2015

Approval expiry date: 21 February 2021

ZeeWeed 500ds (350) Membrane Filtration Module

DWI 56/4/835

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use Document for the ZeeWeed® 500d (340), 500d (440), 500ds (350) Membrane Filtration Modules. Document number: UKDWI/500d Revision 6.5. Date of Issue: 22th January 2015

Approval expiry date: 21 February 2021

Hydranautics

HYDRAcap

DWI 56/4/689

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: HYDRAcap Membrane Ultrafiltration Module Instructions for Use, Issue 7 dated 23/1/2013

Approval expiry date: 1 March 2022

Mecana Umwelttechnik GmbH

DW18/90 Pile Cloth Media Filter (PCMF)

DWI 56/4/1215

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: DW18/90 Filter type. Issue Number: Rev2 20th September 2017

This product shall be used at the water treatment works inlet only and only at sites where GAC is used as part of the treatment process

Approval expiry date: 28 November 2022

Microdyn-Nadir US Inc

8040-SBNF-DWI Membrane Elements

DWI 56/4/1218

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use 8040-SBNF-DWI Membrane Elements Version 1.1; Issue date: 22 February 2017

Products must be installed upstream of any final point of disinfection

Approval expiry date: 21 December 2022

Pall Europe Ltd

Pall Microza UNA-620C microfiltration module

DWI 56/4/795

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for use for membrane products in water supply - Instructions for use document for Pall Microza UNA-620C Micro-filtration modules, Issue number 3, Date of issue: 26 July 2006

Approval expiry date: 16 August 2020

PCI Membranes

C10 Module

DWI 56/4/234

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Issue J, 1 Nov 2017

Approval expiry date: 11 December 2021

CA202 membrane

DWI 56/4/76

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Issue No K, 1 Nov 2017

Approval expiry date: 12 December 2021

ES404 membrane

DWI 56/4/215

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Issue No N, 1 Nov 2017

Approval expiry date: 12 December 2021

PWN Technologies

CeraMac® Technology

DWI 56/4/1179

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Dated: 11/02/2016 Issue No: 1.1 Rev 1.3

Approval expiry date: 17 January 2022

TriSep Corporation

8040-SBUF-DWI

DWI 56/4/1030

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use. 8040-SBUF-DWI Membrane Elements. Version 1.0 4 March 2014

Approval expiry date: 15 November 2018

X-FLOW B.V.

Aquaflex

DWI 56/4/324

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: X-flow membrane Filtration elements version 6.0 26-02-2015

Approval expiry date: 2 June 2020

HFW 1000

DWI 56/4/1139

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU for HFW 1000, Version 1.2, Issue date: 15-10-2014
Products must be installed upstream of any final point of disinfection.

Approval expiry date: 29 September 2021

S-150 FSFC Membrane Filtration Elements

DWI 56/4/324

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use for X-Flow S-150 FSFC PVC and S-225 FSFC and PVC Membrane Filtration Elements. Version 1.7. Dated 16/05/2004

Approval expiry date: 2 June 2020

S-225 FSFC Membrane Filtration Elements

DWI 56/4/324

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use for X-Flow S-150 FSFC PVC and S-225 FSFC and PVC Membrane Filtration Elements. Version 1.7. Dated 16/05/2004

Approval expiry date: 2 June 2020

Xiga

DWI 56/4/324

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: X-flow membrane Filtration elements version 6.0 26-02-2015

Approval expiry date: 2 June 2020

XIGA HP

DWI 56/4/1023

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions For Use for X-Flow Membrane Filtration Elements Version 7 26/05/2016

This product must be installed upstream of any final point of disinfection.

Approval expiry date: 19 March 2023

D.2 Vessels and Containers for Membrane and Filtration Elements

Amazon Filters Ltd

Single and Multiple Cartridge & Bag Filter Housings and Interconnecting pipework

DWI 56/4/879

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Amazon Single and Multiple Cartridge & Bag Filter Housings and Interconnecting Pipework: INSTRUCTIONS FOR USE IN DRINKING WATER SYSTEMS. Issue 2 November 2016

Approval expiry date: 11 August 2020

Envirogen Group

Envirogen CF Filter Housing

DWI 56/4/1257

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE ENVIROGEN CF FILTER HOUSING

Issue date: 01/12/2016 Issue number: 1

Approval expiry date: 12 March 2022

Evoqua Water Technologies Ltd

SFH PFH SSS Filter housing

DWI 56/4/1191

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: SPECTRUM_PFH-SPC1_INSTALLATION – INSTRUCTIONS_0615v1 and SPECTRUM_SFH-SPC1_INSTALLATION –INSTRUCTIONS_0615v1

Approval expiry date: 30 November 2021

Fileader Filter Systems

EFH/SFH/PFH (Cartridge Housings)

DWI 56/4/848

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Range of 316 Stainless Steel Filter and Bags Housing .
Version 2 . Issue date 18/10/11

Approval expiry date: 30 November 2021

SBH and PBF Stainless Steel Bag Housing

DWI 56/4/848

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Range of 316 Stainless Steel Filter and Bags Housing .
Version 2 . Issue date 18/10/11

Approval expiry date: 30 November 2021

SFH and PFH Stainless Steel Filter Housing

DWI 56/4/848

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Range of 316 Stainless Steel Filter and Bags Housing .
Version 2 . Issue date 18/10/11

Approval expiry date: 30 November 2021

Pentair Water India Pvt Ltd

Codeline RO Membrane Housing Codeline 80S Series (Coded Vessels) DWI

56/4/288

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: No 94566-NC, Issue No 3, Date Aug13
The product may only be used upstream of reverse osmosis filtration

Approval expiry date: 29 June 2021

Codeline RO Membrane Housing Codeline 80S Series (Non-coded Vessels)

DWI 56/4/288

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: No 94566- NC, Issue No 3, Date Aug 13
The product may only be used upstream of reverse osmosis filtration

Approval expiry date: 29 June 2021

D.3 Electrodialysis Water Treatment Units

GE Power & Water, Water and Process Technologies

Electrodialysis Water Treatment Unit

DWI 56/4/480

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 40756

Approval expiry date: 19 August 2019

D.4 Filter Media Containing Systems

Amiad Water Systems UK Ltd

DVF Media Filters

DWI 56/4/1249

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Amiad Water Systems Automatic Filters DVF Media Filters, Issue No: 16 Rev.1 Issue Date: 10.10.2016

Approval expiry date: 11 May 2022

DYNAMIK FILTR Nocoń iWspólnicy Spółka Jawna

PRESSURE FILTRATION KIT DF FP/FDN 800-3 500

DWI 56/4/1272

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue Number: FP/FDN 800-3 500/001/017 IFU; Issue Date:

01:02:2017

Approval expiry date: 20 December 2022

Industrial Purification Systems Ltd

Crossflow AMF 1201

DWI 56/4/1121

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Crossflow AMF 1201 High Efficiency Media. User Manual and Installation Guide Issue 3 23/10/2013

Approval expiry date: 29 October 2018

Crossflow AMF 901

DWI 56/4/1117

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Crossflow AMF 901 High Efficiency Media. User Manual and Installation Guide Issue 4 22/10/2013

Approval expiry date: 24 October 2018

PART E OTHER WATER TREATMENT WORKS INSTALLATIONS

E.1 Tanks

ABC Stainless Steel Ltd

Replacement GAC Tank

DWI 56/4/705

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use for Replacement GAC Tank, Issue Number 1, dated 27/07/04

Approval expiry date: 13 November 2019

Storage, process tanks and vessels

DWI 56/4/542b

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use : Stainless steel storage, Process Tanks and Vessels . Issue no: 2 Date: 20th October 2003

Approval expiry date: 4 January 2023

Allied Storage Tank Ltd

Stainless Steel Tanks and Launderers

DWI 56/4/1258

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue date: 30/01/2017 Issue No.1

Approval expiry date: 26 February 2022

Asset International Ltd

Weholite Pipe and Panels

DWI 56/4/513b

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue no 4 dated December 2015

Approval expiry date: 2 February 2019

Barr + Wray Ltd

Barr + Wray Stainless Steel Media Filter

DWI 56/4/1234a

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Issue No: 1, 20 July 2016

Approval expiry date: 21 November 2021

Crossland Tankers (Burnley) Ltd

Tanks for transportation of drinking water

DWI 56/4/792

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Stainless Steel Tank for Transporting drinking water. Issue 2 dated 30/3/15.

Approval expiry date: 29 March 2020

CST Industries Ltd

Aquastore Vitrium EN

DWI 56/4/621

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: AQUASTORE STORAGE TANKS INSTRUCTIONS FOR USE (IFU). Version 7 20 June 2017

Approval expiry date: 15 July 2022

EPS Group

Stainless Steel Tanks & Pipework

DWI 56/4/1267

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: EPS Group - Stainless Steel Tanks & Pipework, Issue 1 10/03/17

Approval expiry date: 27 March 2022

Forbes Technology Ltd

Cheetah range of Tanks & Towers

DWI 56/4/1292

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Handling, Installation and Commissioning Instructions for the Forbes 'Cheetah' range of storage & process tanks & towers to comply with Regulation 31 Issue no: QA379 Rev 05

Approval expiry date: 19 October 2022

Jaguar Range of Storage & Process Tanks & Towers

DWI 56/4/1210

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: HANDLING, INSTALLATION AND COMMISSIONING INSTRUCTIONS FOR THE FORBES JAGUAR RANGE OF STORAGE & PROCESS TANKS & TOWERS

Issue Date: 10-10-2016 Issue No: QA427 Rev 02 Issue 1

Approval expiry date: 19 October 2021

Lion Range of Tanks & Towers

DWI 56/4/1293

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Handling, Installation and Commissioning Instructions for the Forbes 'Lion' range of storage & process tanks & towers to comply with Regulation 31 Issue no:QA378 Rev 05

Approval expiry date: 19 October 2022

Homer Burgess Ltd

**Tanks and associated Pipework, Weir Plates and Baffle Plates
manufactured from Stainless steel suitable for use with drinking water** DWI
56/4/1107b

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Title: Homer Burgess Ltd., Manufacturer's official use instructions for Stainless Steel Products in contact with Drinking Water.. Issue Number Rev: 1 26/01/2016

Approval expiry date: 22 May 2023

J.K Fabrications Limited

JKF 304 and 316 Stainless Steel Tanks

DWI 56/4/732

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 1 Dated 1st September 2014

Approval expiry date: 14 December 2019

Permastore Ltd

Fusion ® V1100

DWI 56/4/1214

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue date 01/03/16, Issue number: P238 Rev 1

Approval expiry date: 19 December 2021

Isofusion (vitreous enamelled tank)

DWI 56/4/594

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU P236 Rev 2 - IFU and Installation of ISOFUSION V700 Tanks for the storage of water (issued 18/03/16)

Approval expiry date: 21 March 2021

Trifusion ®

DWI 56/4/1213

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue date 01/03/16, Issue Number: P285 Rev 1

Approval expiry date: 19 December 2021

Powerrun Pipe-Mech Ltd

Stainless Steel Grade 316L Potable Water Reservoir Tanks

DWI 56/4/611

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: PWRT (PP-ML) Rev 0 (First Issue) 16 April 2018

Approval expiry date: 11 September 2023

Sayers Road Tankers Ltd

Stainless Steel Water Tanks

DWI 56/4/1028

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use: Stainless Steel Water Tanks. Issue No: 2. Issue Date: 15th August 2011

Approval expiry date: 8 August 2021

Silotank (Digestors, Silos & Tanks) Ltd

Connaught Range of Tanks

DWI 56/4/747

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Silotank Installation and Maintenance Manual for Connaught Range of Tanks/Towers for Drinking Water and Raw Water to be Treated for Drinking Purposes, Issue 6, 14/11/2005

Approval expiry date: 3 November 2019

Connaught Range of Towers

DWI 56/4/747

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Silotank Installation and Maintenance Manual for Connaught Range of Tanks/Towers for Drinking Water and Raw Water to be Treated for Drinking Purposes, Issue 6, 14/11/2005

Approval expiry date: 3 November 2019

Leinster Range of Thermoplastic Tanks

DWI 56/4/498

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Silotank Installation and Maintenance Manual for Leinster Range of Tanks/Towers for Drinking Water and Raw Water to be Treated for Drinking Purposes. Issue 6, 23/5/2005

Approval expiry date: 9 March 2020

Leinster Range of Towers

DWI 56/4/498

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Silotank Installation and Maintenance Manual for Leinster Range of Tanks/Towers for Drinking Water and Raw Water to be Treated for Drinking Purposes. Issue 6, 23/5/2005

Approval expiry date: 9 March 2020

Stainless Metalcraft (Chatteris) Ltd

Stainless Steel Fabrications: Pipework, Tanks and Vessels for use with Drinking Water

DWI 56/4/1211

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for use of internal pipework, Air pipework and Launder assemblies for use with water intended for human consumption. (Issue 1) 28 January 2016

Approval expiry date: 25 April 2020

Staptina Engineering Services Ltd

Staptina Bespoke stainless steel fabrications: Pipework, Baffles, Troughs, Tanks, Support and Access systems

DWI 56/4/567b

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 24838IFU 12 June 2013

Approval expiry date: 31 March 2019

E.2 Underdrains

For some products, including underdrains, Section 3.4 of Advice Sheet 7 indicates that products constructed from clay can be used without approval subject to the water supplier carrying out a risk assessment for suitability of the product and its possible impact on drinking water quality

Bilfinger Water Technologies

Johnson Screens Triton Underdrain system

DWI 56/4/908

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Johnsons Screens Triton Underdrains Instructions for Use. Issue date: February 2010, Issue No: 3

Approval expiry date: 24 February 2019

Black & Veatch

K Filter Floor

DWI 56/4/833

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Installation and Test Procedure for K-Type Filter Floors. Document Reference: SSD 019. Issue K. Dated: 24.11.08

Approval expiry date: 11 August 2020

De Nora Water Technologies UK Services Ltd

Tetra LP Block System

DWI 56/4/522

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: INSTRUCTIONS FOR USE DOCUMENT. LP Block Underdrain System. Issue number: 2 Date: 4th July 2009

Approval expiry date: 17 March 2020

Plasmor Ltd

Plasmor E and U Blocks

DWI 56/4/988

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Plasmor E Blocks Instructions for Use . Issue 2. Issue Date: 22/12/2010

Approval expiry date: 5 March 2022

Xylem Water Solutions Zelenople LLC

Leopold Type S Underdrain and I.M.S. 1000 Media Retainer DWI 56/4/1079

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Type S®/SL® Universal Flume Installation, Operation and Maintenance Manual

Date: 8th Aug 2017 Issue No: 2

Approval expiry date: 21 April 2020

Leopold Type S Underdrain and I.M.S. 200 Media Retainer DWI 56/4/1078

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Type S®/SL® Universal Flume Installation, Operation and Maintenance Manual

Date: 8th Aug 2017 Issue No: 2

Approval expiry date: 21 April 2020

Leopold Type S Underdrain and I.M.S. Cap DWI 56/4/371

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Type S®/SL® Universal Flume Installation, Operation and Maintenance Manual

Date: 8th Aug 2017 Issue No: 2

Approval expiry date: 21 April 2020

Leopold Type SL Underdrain and I.M.S. 1000 Media Retainer DWI 56/4/1079

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Type S®/SL® Universal Flume Installation, Operation and Maintenance Manual

Date: 8th Aug 2017 Issue No: 2

Approval expiry date: 21 April 2020

Leopold Type SL Underdrain and I.M.S. 200 Media Retainer DWI 56/4/1078

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Type S®/SL® Universal Flume Installation, Operation and Maintenance Manual

Date: 8th Aug 2017 Issue No: 2

Approval expiry date: 21 April 2020

Leopold Type SL Underdrain and I.M.S. Cap

DWI 56/4/371

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Type S®/SL® Universal Flume Installation, Operation and Maintenance Manual

Approval expiry date: 21 April 2020

Leopold Type XA Underdrain and I.M.S. 1000 Media Retainer DWI 56/4/1105

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Type XA (TM) Underdrain Flume Installation, Operation and Maintenance Manual

Date: 8th Aug 2017 Issue No: 2

Approval expiry date: 16 June 2019

Leopold Type XA Underdrain and I.M.S. 200 Media Retainer DWI 56/4/1105

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Type XA™ Underdrain Flume Installation, Operation and Maintenance Manual

Date: 8th Aug 2017 Issue No: 2

Approval expiry date: 16 June 2019

Leopold Type XA Underdrain and I.M.S. Cap

DWI 56/4/1105

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Type XA™ Underdrain Flume Installation, Operation and Maintenance Manual

Date: 8th Aug 2017 Issue No: 2

Approval expiry date: 16 June 2019

E.3 Pressure vessels

Barr + Wray Ltd

Barr + Wray Stainless Steel Media Filter

DWI 56/4/1234b

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Issue No: 1, 20 July 2016

Approval expiry date: 21 November 2021

Charlatte Reservoirs

Hydrochoc Butyl Bladder Surge Vessel

DWI 56/4/1016

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Commissioning General Instructions for Hydrochoc Butyl Bladder Surge Vessel for Clear Water. . Issue No: 2 Date of Issue: 2nd Nov 2016

Approval expiry date: 6 April 2022

CPE Pressure Vessels

CPE Pressure Vessels - 316L Stainless Steel

DWI 56/4/1136

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU-01 Rev C 06/03/2013

Approval expiry date: 25 March 2019

CPE Pressure Vessels-304 Stainless Steel

DWI 56/4/1135

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU-01 Rev C 06/03/2013

Approval expiry date: 25 March 2019

Quantum Engineering Developments Ltd

Quantum Pressure Vessels- 304L

DWI 56/4/1132

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU – 01

Approval expiry date: 30 March 2019

Quantum Pressure Vessels- 316L

DWI 56/4/1133

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU – 01

Approval expiry date: 30 March 2019

E.4 Other Products used for the treatment of water

AJ Engineering and Construction Services Ltd

Stainless Steel Pipework and Fabrications

DWI 56/4/1220b

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Stainless Steel Pipework and Fabrications for water use.
Issue Number: WO41, Issue date: 04/08/2016

Approval expiry date: 19 September 2021

AMCON Europe s.r.o

Volute Dewatering Screw Press

DWI 56/4/1144

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: VOLUTE Dewatering Press ES-CE-DW Series Instruction Manual. Version DW1.00 issued on 19.6.2014
Supernatant from the press should either be returned to the head of the works or run to waste.

Approval expiry date: 15 October 2019

Atlantic Water Co Ltd

AWG 1500

DWI 56/4/1119

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Ver 1.0 - 15/11/13

Approval expiry date: 18 November 2018

Bridges Electrical Engineering Ltd

Bridges in-house fabricated stainless steel pipe spools and products DWI 56/4/1268b

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Bridges in-house fabricated stainless steel pipe spools and products, Issue 1 22/03/17

Approval expiry date: 14 May 2022

Colloide Engineering Systems Ltd

Lamella Separator Package (LSF)

DWI 56/4/1172

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 90002-1502 B

Approval expiry date: 23 February 2020

De Nora Water Technologies UK Services Ltd

Rapid Gravity Filter Air Header

DWI 56/4/632

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue 2 dated 10 June 2009

Approval expiry date: 17 March 2020

ENEXIO 2H Water Technologies Ltd

TUBEdek FS41.50/84 PP

DWI 56/4/878

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Information for Use Document. TUBEdek Lamella Separators Type FS41.50PP & FS41.84PP. Version 1.5 April 2017

Approval expiry date: 4 July 2022

Flo-dyne Ltd

Surge Protector- Model Type SAC

DWI 56/4/962

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use – Flo-Dyne Surge Protector – Model type SAC Issue:1 Issue Date:14/10/09

Forbes Technology Ltd

Cheetah Tower Packings

DWI 56/4/711

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issue No 5 dated 11.08.14

Approval expiry date: 28 October 2019

Homer Burgess Ltd

**Tanks and associated Pipework, Weir Plates and Baffle Plates
manufactured from Stainless steel suitable for use with drinking water** DWI
56/4/1107c

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Homer Burgess Ltd., Manufacturer's official use instructions for Stainless Steel Products in contact with Drinking Water.. Issue Number Rev: 1 26/01/2016

Approval expiry date: 22 May 2023

Jacopa Ltd

Stainless Steel DAF

DWI 56/4/1180

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Aug 2015 V005

Approval expiry date: 19 August 2020

Meurer Research Inc

Inclined Plate Settler System

DWI 56/4/1188

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Meurer Research Inc Plate Settler System Ref Issue Number: IFUPS001 Date: 03/06/2015

Approval expiry date: 6 July 2020

MRK Steel Erectors Ltd

Aerator troughs, pipes and steelworks

DWI 56/4/1174

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Issued 27/01/2015

Approval expiry date: 8 April 2020

Nijhuis Water Technology B.V.

IPF and NPF model of Dissolved Air Flotation units

DWI 56/4/620

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: December 2013 rev 0 EJ

Approval expiry date: 19 August 2019

Pontoon Work Ltd

Modular Pontoon

DWI 56/4/1309

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Pontoonworks: Pontoon solutions for working on clean water sites

Issue Date: 2nd January 2018; Issue Number: 03

This product is approved for limited use during planned maintenance and may not be permanently installed. If the proposed use will extend beyond a 90 day period of use on any one occasion, then advice from the DWI should be sought before installation and use. NOTE: It is the responsibility of the water supplier to undertake a thorough risk assessment of the proposed use, including fitness-for-purpose. Use of this product during planned maintenance shall be in accordance with the condition set out above.

Approval expiry date: 26 July 2023

PWN Technologies

Suspended Ion Exchange (SIX)

DWI 56/4/1171

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use for the SIX Technology by PWN Technologies. Dated: 15-Sep-15. Issue: 1.3

This approval does not include any ion exchange resins.

Approval expiry date: 29 September 2020

Sensor (UK) Ltd

Sensorline (Stainless steel)

DWI 56/4/1066b

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: SENSORLINE – PE GEOMEMBRANES (IFU VERSION 4.9)

Issue date 9 November 2015

Approval expiry date: 19 March 2023

Siltbuster Process Solutions Ltd

Dissolved Air Flotation unit

DWI 56/4/1116

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: SBAN10571_R3_Rev3

Approval expiry date: 6 November 2020

Staptina Engineering Services Ltd

Staptina Bespoke stainless steel fabrications: Pipework, Baffles, Troughs, Tanks, Support and Access systems

DWI 56/4/567c

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: 24838IFU 12 June 2013

Approval expiry date: 31 March 2019

Veolia Water Technologies UK

Greca Lamella Plates

DWI 56/4/309

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU Rev A

Approval expiry date: 14 March 2022

Package Actiflo and Multiflo

DWI 56/4/770

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: IFU, VWT/ASMS/S4, Issue 1, Jan 2017

Approval expiry date: 26 April 2022

WEARS Australia

ResMix Vital

DWI 56/4/1131

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Operation and maintenance manual Resmix Vital potable Reservoir Circulation System. Issue 2 October 2015.

Approval expiry date: 9 April 2019

Western Carbons

Stainless Steel Floor Plates, weirs, pipework and tanks

DWI 56/4/1303

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Western Carbons Stainless Steel Products. Issue date: November 2017; Issue number: Version 1.0

Approval expiry date: 18 February 2023

Wester Carbons Porous Block

DWI 56/4/1297

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Instructions for Use (IFU) - Western Carbons Porous Block
Issue Date: August 2017, Issue No: Version 1.0

Approval expiry date: 25 March 2023

Xylem Water Solutions Zelenople LLC

Leopold Ari Scour System

DWI 56/4/1250

Conditions of Approval: Use of the product must be in accordance with the Instructions for Use: Air Scour System AHP-IFU-00 Issue date: 12/13/16 Issue number:R01

Approval expiry date: 5 March 2022

INDEX BY PRODUCT NAME

List of approved products for use in public water supply in the United Kingdom

1100LLA958 Bag 1100L 3 Ply Blue IBC (2"/2" INTEG)	DS Smith United Kingdom	B.3.3	DWI 56/4/849
1Nalco 71223	Nalco Europe B.V.	A.1.3	DWI 56/4/905
1Nalco 71225	Nalco Europe B.V.	A.1.3	DWI 56/4/906
3M Scotchkote Epoxy Coating 162PWX plus 3M Scotchkote Epoxy Coating 162PW Stripe Coat	3M United Kingdom	C.3.1	DWI 56/4/300
3M Scotchkote Pipe Protection Liner 2100	3M United Kingdom	C.2.2	DWI 56/4/1037
3M Scotchkote Pipe Renewal Liner 2400	3M United Kingdom	C.2.2	DWI 56/4/1031
3M Scotchkote Rapid Setting Polymeric Lining 166L	3M United Kingdom	C.2.3	DWI 56/4/1032
8040-SBNF-DWI Membrane Elements	Microdyn-Nadir US Inc	D.1	DWI 56/4/1218
8040-SBUF-DWI	TriSep Corporation	D.1	DWI 56/4/1030
Acothane DW Blue	Spencer Coatings Limited	C.3.2	DWI 56/4/1059
Acothane DW Cream	Spencer Coatings Limited	C.3.2	DWI 56/4/1052
Acothane LV Sealer	Spencer Coatings Limited	C.3.2	DWI 56/4/1058
Aerator troughs, pipes and steelworks	MRK Steel Erectors Ltd	E.4	DWI 56/4/1174
AFM Activated Filter Media	Dryden Aqua Ltd	A.10	DWI 56/4/382
Airophos 750PWG	Airedale Chemical Company Ltd	A.9	DWI 56/4/960
Amazon SupaGard Cartridge Filters	Amazon Filters Ltd	D.1	DWI 56/4/702
Amazon SupaSpun II Cartridge Filters	Amazon Filters Ltd	D.1	DWI 56/4/702
Amberlite PWA5 and IMAC HP555	DOW Europe GmbH (Rohm and Haas UK Ltd)	A.3.1	DWI 56/4/758
Angus Wellmaster Flexible Rising Main	Angus Flexible Pipelines	B.2	DWI 56/4/1020
AQFLEX	National Oilwell Varco	B.1.1	DWI 56/4/644
AquaCube Emergency Water Tank	JFC Manufacturing Co. Ltd	B.3.2	DWI 56/4/765
Aquaflex	X-FLOW B.V.	D.1	DWI 56/4/324
Aquaforce (with non-lead stabiliser)	Wavin Ireland Ltd	B.1.3	DWI 56/4/600
Aqualine 650 with Irabond BC50	Irathane Futura A Division of ITW Ltd	C.3.2	DWI 56/4/276
Aquasource Membrane Module Series AC300	Aquasource S.A.S	D.1	DWI 56/4/984
Aquastax and Polytank Emergency bowsers/tanks	Western	B.3.2	DWI 56/4/825
Aquastore Vitrium EN	CST Industries Ltd	E.1	DWI 56/4/621
Aquaurethane Extreme	Line-X Protective coatings	C.3.2	DWI 56/4/874
Aquron 2000	MG Solutions (UK) Ltd	C.6	DWI 56/4/1291
Arlington 1000 Litre Bag-in-Box Combo Liner	Arlington Packaging (Rental) Ltd	B.3.3	DWI 56/4/796

List of approved products for use in public water supply in the United Kingdom

AWG 1500	Atlantic Water Co Ltd	E.4	DWI 56/4/1119
Barr + Wray Colour/Organics Removal Ion Exchange Resin BW 141204	Barr + Wray Ltd	A.3.1	DWI 56/4/1238
Barr + Wray Colour/Organics Removal Ion Exchange Resin BW 200613	Barr + Wray Ltd	A.3.1	DWI 56/4/1239
Barr + Wray Colour/Organics Removal Ion Exchange Resin BW 341817	Barr + Wray Ltd	A.3.1	DWI 56/4/1237
Barr + Wray Stainless Steel Media Filter	Barr + Wray Ltd	E.3	DWI 56/4/1234b
Barr + Wray Stainless Steel Media Filter	Barr + Wray Ltd	E.1	DWI 56/4/1234a
BioMate MBC2881	SUEZ Water Technologies & Solutions	A.5	DWI 56/4/1276
Bi-OROC	Dyka S.A.S.	B.1.3	DWI 56/4/1207
Black PE80 Polyethylene Pipes	Polypipe Building Products	B.1.1	DWI 56/4/968
Black PE80 Polyethylene Pipes (ME3440)	Polypipe Building Products	B.1.1	DWI 56/4/986
Blue PE80 Polyethylene Pipes	Polypipe Building Products	B.1.1	DWI 56/4/970
Blue PE80 Polyethylene Pipes (PC002 50R698)	Polypipe Building Products	B.1.1	DWI 56/4/1120
Blutop	Saint-Gobain PAM UK Ltd	B.1.12	DWI 56/4/823
Boode Waterwell Systems PVC Screen and Casing	Boode UK Ltd	B.2	DWI 56/4/958
BoreSaver 1KL Pro	Aquabiotics Pty Ltd	A.4	DWI 56/4/959
BoreSaver Liquid	Aquabiotics Pty Ltd	A.4	DWI 56/4/642
BoreSaver Ultra C Eco	Aquabiotics Pty Ltd	A.4	DWI 56/4/1148
BoreSaver Ultra C Pro	Aquabiotics Pty Ltd	A.4	DWI 56/4/641
Bridges in-house fabricated stainless steel pipe spools and products	Bridges Electrical Engineering Ltd	E.4	DWI 56/4/1268b
Bridges in-house fabricated stainless steel pipe spools and products	Bridges Electrical Engineering Ltd	B.1.10	DWI 56/4/1268a
BSR/EPW/004 - Copon Hycote PWX	BSR Pipeline Services Ltd	B.1.9	DWI 56/4/772
C10 Module	PCI Membranes	D.1	DWI 56/4/234
CA202 membrane	PCI Membranes	D.1	DWI 56/4/76
Carela FIX & DES	Carela GmbH	A.4	DWI 56/4/730
CEMLINE BB G	Vandex International Ltd	C.5	DWI 56/4/1092
CEMLINE STON	Vandex International Ltd	C.6	DWI 56/4/1095
CEMLINE UM1	Vandex International Ltd	C.5	DWI 56/4/1099
CEMLINE BB-W	Vandex International Ltd	C.5	DWI 56/4/1093
CEMLINE CG	Vandex International Ltd	C.5	DWI 56/4/1094
Cemline II	British Cement Association	C.5	DWI 56/4/465

List of approved products for use in public water supply in the United Kingdom

Centraltubi	Centraltubi SPA	B.1.1	DWI 56/4/913
CeraMac® Technology	PWN Technologies	D.1	DWI 56/4/1179
Cheetah range of Tanks & Towers	Forbes Technology Ltd	E.1	DWI 56/4/1292
Cheetah Tower Packings	Forbes Technology Ltd	E.4	DWI 56/4/711
Chlorine Dioxide generated by Xziox	International Water Solutions Ltd	A.7.3	DWI 56/4/998
Citric acid (food grade)	Traditional Chemical	A.7.1	DWI 56/1/106
Clorious2 Care	Brenntag UK & Ireland	A.4	DWI 56/4/1196
Clortec cell	De Nora Water Technologies UK Services Ltd	A.7.2	DWI 56/4/549
Codeline RO Membrane Housing Codeline 80S Series (Coded Vessels)	Pentair Water India Pvt Ltd	D.2	DWI 56/4/288
Codeline RO Membrane Housing Codeline 80S Series (Non-coded Vessels)	Pentair Water India Pvt Ltd	D.2	DWI 56/4/288
Conbextra Bedding Mortar	Fosroc Ltd	C.6	DWI 56/4/1271
Connaught Range of Tanks	Silotank (Digestors, Silos & Tanks) Ltd	E.1	DWI 56/4/747
Connaught Range of Towers	Silotank (Digestors, Silos & Tanks) Ltd	E.1	DWI 56/4/747
Constant Chlor Plus Briquettes	Arch Chemicals Ltd	A.9	DWI 56/4/1241
CP Polytec PE80E	Cork Plastics	B.1.1	DWI 56/4/1187
CPE Pressure Vessels - 316L Stainless Steel	CPE Pressure Vessels	E.3	DWI 56/4/1136
CPE Pressure Vessels-304 Stainless Steel	CPE Pressure Vessels	E.3	DWI 56/4/1135
Crossflow AMF 1201	Industrial Purification Systems Ltd	D.4	DWI 56/4/1121
Crossflow AMF 901	Industrial Purification Systems Ltd	D.4	DWI 56/4/1117
Deltapor MW and MWA Filter Cartridges	Envirogen Group	D.1	DWI 56/4/1274
Dissolved Air Flotation unit	Siltbuster Process Solutions Ltd	E.4	DWI 56/4/1116
DMI-65	K2O Consulting	A.10	DWI 56/4/1101
Duktus Ductile iron pipes with cement mortar lining for the carriage of Drinking Water	Duktus	B.1.7.1	DWI 56/4/948
Durapipe ABS Pipe Type S	Durapipe UK	B.1.4	DWI 56/4/660
Durapipe Grey PVC-U Pipe NGS	Durapipe UK	B.1.3	DWI 56/4/937
Durapipe PREMIUM PVC-U pipe	Durapipe UK	B.1.3	DWI 56/4/1226
DVF Media Filters	Amiad Water Systems UK Ltd	D.4	DWI 56/4/1249
DW18/90 Pile Cloth Media Filter (PCMF)	Mecana Umwiltechnik GmbH	D.1	DWI 56/4/1215

List of approved products for use in public water supply in the United Kingdom

Dyka Grey PVC-U Pipe NGS	Dyka B.V.	B.1.3	DWI 56/4/637
EFH/SFH/PFH (Cartridge Housings)	Fileder Filter Systems	D.2	DWI 56/4/848
egeclean (+)	Egeplast International GmbH	B.1.1	DWI 56/4/1157
egeclean 9010	Egeplast International GmbH	B.1.1	DWI 56/4/1158
egeclean PE100	Egeplast International GmbH	B.1.1	DWI 56/4/1156
egelen PE 100 Blue	Egeplast International GmbH	B.1.1	DWI 56/4/436
egelen PE100 Black	Egeplast International GmbH	B.1.1	DWI 56/4/436
egeplast 9010	Egeplast International GmbH	B.1.1	DWI 56/4/1065
egeplast egelen (+) Plus Pipe	Egeplast International GmbH	B.1.1	DWI 56/4/1111
Egeplast SLA Barrier Pipes	Egeplast International GmbH	B.1.2	DWI 56/4/1109
Elastocoast 6551/102	BASF Polyurethanes GmbH	C.4	DWI 56/4/954
Elastocoast 6551/103	BASF Polyurethanes GmbH	C.4	DWI 56/4/953
Electrodialysis Water Treatment Unit	GE Power & Water, Water and Process Technologies	D.3	DWI 56/4/480
Electrofresh Ductile Iron Pipe	Electrosteel Castings Ltd	B.1.7.1	DWI 56/4/992
Electrofresh Plus Pipe lined with 3M Scotchkote Epoxy coating 162 PWX	Electrosteel Castings Ltd	B.1.7.2	DWI 56/4/537
Emergency Drinking Water Bowsers	Trailer Engineering Ltd	B.3.2	DWI 56/4/707
Emergency Water Bowser	Bowser Supply Ltd	B.3.2	DWI 56/4/1155
Emtelle PE80 Dark blue water pipe	Emtelle UK Ltd	B.1.1	DWI 56/4/1169
Emtelle PE80 Light blue water pipe	Emtelle UK Ltd	B.1.1	DWI 56/4/1170
Enduratank	Enduramaxx Ltd	B.3.2	DWI 56/4/1242
Envirogen CF Filter Housing	Envirogen Group	D.2	DWI 56/4/1257
ePipe UK	Pipe Restoration Technologies LLC	C.2.3	DWI 56/4/995
EPSOLVE DI	EPSCO Ltd	A.4	DWI 56/4/1186
EPSOLVE HDI	EPSCO Ltd	A.4	DWI 56/4/1185
Erciyas Steel Water Pipe – Cement Lined	Erciyas Celik Boru Sanayi A.S	B.1.7.1	DWI 56/4/1047
Erciyas Steel Water Pipes	Erciyas Celik Boru Sanayi A.S	B.1.9	DWI 56/4/989
Erciyas Steel Water Pipes (Eurokote 468 Thixo)	Erciyas Celik Boru Sanayi A.S	B.1.9	DWI 56/4/1001
ES404 membrane	PCI Membranes	D.1	DWI 56/4/215
ESOL	Portsmouth Aviation Ltd	A.7.2	DWI 56/4/1173
Excel White	GPS	B.1.1	DWI 56/4/1269
Extract of Barley Straw	Eco Pond Ltd	A.8	DWI 56/4/1129
Fabricated mild steel pipework coated with Scotchkote 162px	UTS Engineering Ltd	B.1.9	DWI 56/4/1085
Fastfill	Flexcrete Technologies Ltd	C.6	DWI 56/4/1162

List of approved products for use in public water supply in the United Kingdom

Ferrous chloride	Traditional Chemical	A.7.1	DWI 56/1/106
Flagon Geo P/AT	Flag S.p.a	C.4	DWI 56/4/856
Flexcrete Cementitious Coating 851 Grey	Flexcrete Technologies Ltd	C.5	DWI 56/4/1159
Flexcrete Cementitious Coating 851 White	Flexcrete Technologies Ltd	C.5	DWI 56/4/1160
Flocon 135	BWA Water Additives UK Ltd	A.5	DWI 56/4/839
Fusion ® V1100	Permastore Ltd	E.1	DWI 56/4/1214
Genesol 38	Genesys International Ltd	A.5	DWI 56/4/664
Genesol 40	Genesys International Ltd	A.5	DWI 56/4/665
Genesol 61	Genesys International Ltd	A.5	DWI 56/4/1205
Genesol 704	Genesys International Ltd	A.5	DWI 56/4/1319
Genesys CAS	Genesys International Ltd	A.5	DWI 56/4/1253
Genesys HR	Genesys International Ltd	A.5	DWI 56/4/577
Genesys LF	Genesys International Ltd	A.5	DWI 56/4/495
Genesys LF60	Genesys International Ltd	A.5	DWI 56/4/783
Genesys LS	Genesys International Ltd	A.5	DWI 56/4/781
Genesys MG	Genesys International Ltd	A.5	DWI 56/4/610
Genesys SI	Genesys International Ltd	A.5	DWI 56/4/593
Genesys SW	Genesys International Ltd	A.5	DWI 56/4/524
GF ABS pressure pipe	George Fischer Sales Ltd	B.1.4	DWI 56/4/753
GF DEKADUR PVC-U pressure pipe	George Fischer Sales Ltd	B.1.3	DWI 56/4/1231
GF PE100 Black Pipe	George Fischer Sales Ltd	B.1.1	DWI 56/4/957
GF PVC-U Inch Pipe	George Fischer Sales Ltd	B.1.3	DWI 56/4/1235
GPS B Light Blue Polyethylene Pipe	GPS	B.1.1	DWI 56/4/242
GPS Excel (Black)	GPS	B.1.1	DWI 56/4/851
GPS Excel (Blue)	GPS	B.1.1	DWI 56/4/850
GPS Excel (Black) Type F	GPS	B.1.1	DWI 56/4/961
GPS Excel 3c (Black)	GPS	B.1.1	DWI 56/4/871
GPS Excel 3c (Blue)	GPS	B.1.1	DWI 56/4/853
GPS Excel CR	GPS	B.1.1	DWI 56/4/946
GPS Excel CR Type N Black	GPS	B.1.1	DWI 56/4/981
GPS Excel CR Type N Blue	GPS	B.1.1	DWI 56/4/982
GPS Excel NB	GPS	B.1.1	DWI 56/4/1026
GPS Excel NB Type V	GPS	B.1.1	DWI 56/4/1050
GPS N Black Polyethylene Pipe	GPS	B.1.1	DWI 56/4/1260
GPS N Blue PE80 Pipe	GPS	B.1.1	DWI 56/4/651
GPS Protecta-Line	GPS	B.1.2	DWI 56/4/872

List of approved products for use in public water supply in the United Kingdom

GPS Protecta-Line 3c	GPS	B.1.2	DWI 56/4/873
Greca Lamella Plates	Veolia Water Technologies UK	E.4	DWI 56/4/309
Guardsman GT190 Antiscalant for Membrane Systems	Kobell Fluid Technology Ltd	A.5	DWI 56/4/1123
HFW 1000	X-FLOW B.V.	D.1	DWI 56/4/1139
High Performance SC100 Dark Blue Pipe PE100 pipe including Clean Pipe	Radius Systems Ltd	B.1.1	DWI 56/4/939
Huwa-San TR50	Roam Technology	A.4	DWI 56/4/573
HYDRAcap	Hydranautics	D.1	DWI 56/4/689
Hydrochoc Butyl Bladder Surge Vessel	Charlatte Reservoirs	E.3	DWI 56/4/1016
Hypersperse MDC 704i	SUEZ Water Technologies & Solutions	A.5	DWI 56/4/1302
Hypersperse MDC 711	SUEZ Water Technologies & Solutions	A.5	DWI 56/4/1300
Hypersperse MDC 714	SUEZ Water Technologies & Solutions	A.5	DWI 56/4/1301
Hypersperse MDC150	SUEZ Water Technologies & Solutions	A.5	DWI 56/4/1087
Hypersperse MDC220	SUEZ Water Technologies & Solutions	A.5	DWI 56/4/1088
Hypersperse MSI310	SUEZ Water Technologies & Solutions	A.5	DWI 56/4/1311
iDroloc	Aqualogy Environment Limited	A.9	DWI 56/4/1149
IMAC HP 336	DOW Europe GmbH (Rohm and Haas UK Ltd)	A.3.1	DWI 56/4/63
Inclined Plate Settler System	Meurer Research Inc	E.4	DWI 56/4/1188
Intercrete 4802	International Paint Ltd	C.6	DWI 56/4/1055
Intercrete 4820	International Paint Ltd	C.5	DWI 56/4/1054
Intercrete 4841	International Paint Ltd	C.5	DWI 56/4/1053
Intercrete 4871	International Paint Ltd	C.6	DWI 56/4/1056
Ion exchange colour removal system	Barr + Wray Ltd	A.3.2	DWI 56/4/1176
IPF and NPF model of Dissolved Air Flotation units	Nijhuis Water Technology B.V.	E.4	DWI 56/4/620
IPSSPW01 Stainless Steel Pipework and Fabrications	Equipdata Trading	B.1.10	DWI 56/4/1316
Isofusion (vitreous enamelled tank)	Permastore Ltd	E.1	DWI 56/4/594
IXL Process	Ionex SG Ltd	A.3.2	DWI 56/4/467
Jaguar Range of Storage & Process Tanks & Towers	Forbes Technology Ltd	E.1	DWI 56/4/1210
JKF 304 and 316 Stainless Steel Tanks	J.K Fabrications Limited	E.1	DWI 56/4/732

List of approved products for use in public water supply in the United Kingdom

Johnson Screens Triton Underdrain system	Bilfinger Water Technologies	E.2	DWI 56/4/908
JSAW-JAL-11A	Jindal Saw Ltd	B.1.7.1	DWI 56/4/935
JSAW-JAL-11B	Jindal Saw Ltd	B.1.7.2	DWI 56/4/936
JSAW-JAL-1A	Jindal Saw Ltd	B.1.7.1	DWI 56/4/933
JSAW-JAL-1B	Jindal Saw Ltd	B.1.7.2	DWI 56/4/934
JSGL-JAL-1A	JINDAL SAW GULF LLC	B.1.7.1	DWI 56/4/1122
K Filter Floor	Black & Veatch	E.2	DWI 56/4/833
Kalic HSD	Tarmac Lime & Cement	A.9	DWI 56/4/1206
KLEEN MCT515E	SUEZ Water Technologies & Solutions	A.5	DWI 56/4/1273
Kleen MTC405	SUEZ Water Technologies & Solutions	A.5	DWI 56/4/1289
Kleen* MCT103	SUEZ Water Technologies & Solutions	A.5	DWI 56/4/1008
Kleen* MCT524	SUEZ Water Technologies & Solutions	A.5	DWI 56/4/1007
Kleen* MCT882	SUEZ Water Technologies & Solutions	A.5	DWI 56/4/1010
KWH pipe hostalen CRP100 Black	Uponor Infra	B.1.1	DWI 56/4/551
KWH pipe hostalen CRP100 Blue	Uponor Infra	B.1.1	DWI 56/4/551
Lamella Separator Package (LSF)	Colloide Engineering Systems Ltd	E.4	DWI 56/4/1172
Leinster Range of Thermoplastic Tanks	Silotank (Digestors, Silos & Tanks) Ltd	E.1	DWI 56/4/498
Leinster Range of Towers	Silotank (Digestors, Silos & Tanks) Ltd	E.1	DWI 56/4/498
Leopold Ari Scour System	Xylem Water Solutions Zelienople LLC	E.4	DWI 56/4/1250
Leopold Type S Underdrain and I.M.S. 1000 Media Retainer	Xylem Water Solutions Zelienople LLC	E.2	DWI 56/4/1079
Leopold Type S Underdrain and I.M.S. 200 Media Retainer	Xylem Water Solutions Zelienople LLC	E.2	DWI 56/4/1078
Leopold Type S Underdrain and I.M.S. Cap	Xylem Water Solutions Zelienople LLC	E.2	DWI 56/4/371
Leopold Type SL Underdrain and I.M.S. 1000 Media Retainer	Xylem Water Solutions Zelienople LLC	E.2	DWI 56/4/1079
Leopold Type SL Underdrain and I.M.S. 200 Media Retainer	Xylem Water Solutions Zelienople LLC	E.2	DWI 56/4/1078
Leopold Type SL Underdrain and I.M.S. Cap	Xylem Water Solutions Zelienople LLC	E.2	DWI 56/4/371
Leopold Type XA Underdrain and I.M.S. 1000 Media Retainer	Xylem Water Solutions Zelienople LLC	E.2	DWI 56/4/1105

List of approved products for use in public water supply in the United Kingdom

Leopold Type XA Underdrain and I.M.S. 200 Media Retainer	Xylem Water Solutions Zelienople LLC	E.2	DWI 56/4/1105
Leopold Type XA Underdrain and I.M.S. Cap	Xylem Water Solutions Zelienople LLC	E.2	DWI 56/4/1105
Lewatit S 5128	Lanxess Deutschland GmbH	A.3.1	DWI 56/4/1193
Lion Range of Tanks & Towers	Forbes Technology Ltd	E.1	DWI 56/4/1293
Lithium Salts	Traditional Chemical	A.7.1	DWI 56/1/106
Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Aenean commodo ligula eget dolor. Aenean massa. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Donec quam felis, ultricies nec, pellentesque eu, pretium quis,	Traditional Chemical).99.99.99	DWI 56/4/0000
LORTUB Steel Water Fittings lined with High Performance Eurokote 468 Thixo	Lortub S.A.S.	B.1.9	DWI 56/4/1204
Macropoxy P300	Sherwin-Williams Protective and Marine Coatings	C.3.1	DWI 56/4/253
Magnafloc LT20	BASF Performance Products plc	A.1.2	DWI 56/4/885
Magnafloc LT22S-DWI	BASF Performance Products plc	A.1.2	DWI 56/4/884
Magnafloc LT25	BASF Performance Products plc	A.1.2	DWI 56/4/886
Magnafloc LT27	BASF Performance Products plc	A.1.2	DWI 56/4/887
Magnesium hydroxide	Traditional Chemical	A.7.1	DWI 56/1/106
Magnesium sulphate	Traditional Chemical	A.7.1	DWI 56/1/106
Magnetite	Traditional Chemical	A.7.1	DWI 56/1/106
MasterEmaco S420 with MasterSeal 600	BASF plc Construction Chemicals (UK) Ltd	C.6	DWI 56/4/1064
MasterSeal 581	BASF plc Construction Chemicals (UK) Ltd	C.5	DWI 56/4/1227
MasterSeal 581 with MasterSeal 600	BASF plc Construction Chemicals (UK) Ltd	C.5	DWI 56/4/1103
MasterSeal 588	BASF plc Construction Chemicals (UK) Ltd	C.5	DWI 56/4/1128
MasterSeal 930 and MasterSeal 933	BASF plc Construction Chemicals (UK) Ltd	C.6	DWI 56/4/144
Masterseal M 808	BASF plc Construction Chemicals (UK) Ltd	C.3.2	DWI 56/4/1080a
Masterseal M 808 additional light grey colour	BASF plc Construction Chemicals (UK) Ltd	C.3.2	DWI 56/4/1080b

List of approved products for use in public water supply in the United Kingdom

MasterSeal M586 with MasterSeal M600	BASF plc Construction Chemicals (UK) Ltd	C.5	DWI 56/4/86
Memcor CMF- S S10V Range of Microfiltration submodules (submerged PVDF Membranes) with optional Memcor EF	Evoqua Water Technologies Ltd	D.1	DWI 56/4/973
Memcor CMF-L L10N	Evoqua Water Technologies Ltd	D.1	DWI 56/4/1254
Memcor CMF-L L10V Range of Microfiltration Submodules (PVDF Membranes)	Evoqua Water Technologies Ltd	D.1	DWI 56/4/977
Memcor CMF-L L20N	Evoqua Water Technologies Ltd	D.1	DWI 56/4/1255
Memcor CMF-L L20V Range of Microfiltration Submodules (PVDF Membranes)	Evoqua Water Technologies Ltd	D.1	DWI 56/4/978
Memcor CMF-L L40N	Evoqua Water Technologies Ltd	D.1	DWI 56/4/1305
Memcor CMF-M10C Continuous Microfiltration Module (Polypropylene Membranes)	Evoqua Water Technologies Ltd	D.1	DWI 56/4/975
Memcor CMF-S S10N	Evoqua Water Technologies Ltd	D.1	DWI 56/4/1256
Memcor CMF-S S10T Microfiltration Submodule (submerged Polypropylene Membranes) optional Memcor EF	Evoqua Water Technologies Ltd	D.1	DWI 56/4/976
MIEX DOC Resin	Ixom Operations Pty Ltd	A.3.1	DWI 56/4/550
MIEX Gold	Ixom Operations Pty Ltd	A.3.1	DWI 56/4/1140
Modular Pontoon	Pontoon Work Ltd	E.4	DWI 56/4/1309
Monolevel 844SP	Flexcrete Technologies Ltd	C.5	DWI 56/4/1161
Monomix	Flexcrete Technologies Ltd	C.6	DWI 56/4/1163
Monomix WS	Flexcrete Technologies Ltd	C.6	DWI 56/4/397
NATCEM 35	National Cement Distribution Ltd	C.6	DWI 56/4/1090
NATCEM AC	National Cement Distribution Ltd	C.6	DWI 56/4/840
NATCEM AC	National Cement Distribution Ltd	C.5	DWI 56/4/840
NATCEM D	National Cement Distribution Ltd	C.6	DWI 56/4/1216
NATCEM DW	National Cement Distribution Ltd	C.6	DWI 56/4/1049
Neumo Stainless Steel Tube and Fittings	Neumo UK Ltd	B.1.10	DWI 56/4/1167
Nitocote CM 210	Fosroc Ltd	C.5	DWI 56/4/1067
Noksel Steel Water Pipe – Coated with Thixo 468	Noksel Steel Pipe Co Inc	B.1.9	DWI 56/4/1192

List of approved products for use in public water supply in the United Kingdom

OSTP Stainless Steel pipe and fittings of 12mm bore or greater.	OSTP	B.1.10	DWI 56/4/516
Oxiperm ISIA (with U-type reactor)	Grundfos Holdings A/S	A.7.3	DWI 56/4/1236
Package Actiflo and Multiflo	Veolia Water Technologies UK	E.4	DWI 56/4/770
Pall Microza UNA-620C microfiltration module	Pall Europe Ltd	D.1	DWI 56/4/795
PaM Natural Pipeline Components	Saint-Gobain PAM UK Ltd	B.1.9	DWI 56/4/618
PE100 High Performance Black Pipe	Radius Systems Ltd	B.1.1	DWI 56/4/940
PE100 High Performance Profuse Pipe including Factory Sealed	Radius Systems Ltd	B.1.1	DWI 56/4/943
Peak Pipe Systems	Peak Pipe Systems	B.1.1	DWI 56/4/548
Penecrete Mortar	Penetron UK Ltd	C.6	DWI 56/4/1130
Penectron Crystalline Waterproof Coating	Penetron UK Ltd	C.6	DWI 56/4/1137
Permasect WT for use in application to slow sand filters	Bournemouth and West Hampshire Water Plc	A.8	DWI 56/4/720
PermaTreat PC-191T	Nalco Europe B.V.	A.5	DWI 56/4/1108
PEXGOL	GOLAN Plastic Products Ltd	B.2	DWU 56/4/1259
Pipes & Fittings coated with Resicote R4	Northpoint Ltd	B.1.9	DWI 56/4/659
Pipes and fittings lined with Eurokote 468 Thixo	Northpoint Ltd	B.1.9	DWI 56/4/1209
Pipes and Fittings lined with Jotaguard VA 5001	Northpoint Ltd	B.1.9	DWI 56/4/1304
Pipes and Fittings lined with Resicoat R4-FB HKC71R	Orrmac Coatings Limited	B.1.9	DWI 56/4/771
Pipes Lined with Resicoat R4-FB HKC71R	Freeflow Pipesystems Ltd	B.1.9	DWI 56/4/817
Pipes lined with Scotchkote 162PWX	Orrmac Coatings Limited	B.1.9	DWI 56/4/985
Pipes lined with Scotchkote 206N	Northpoint Ltd	B.1.9	DWI 56/4/602
Plasmor E and U Blocks	Plasmor Ltd	E.2	DWI 56/4/988
Plastiwind - for use upstream of a Reverse Osmosis unit only	Iniziativa Industriali SpA (Sarplast)	B.1.6	DWI 56/4/666
PM100	Panton McLeod Ltd	A.4	DWI 56/4/212
PM55	Panton McLeod Ltd	A.4	DWI 56/4/212
PM88	Panton McLeod Ltd	A.4	DWI 56/4/212
Polyguard: Polyethylene/Aluminium/Polyethylene barrier pipes	Polypipe Building Products	B.1.2	DWI 56/4/857
Polyguard: Polyethylene/Aluminium/Polyethylene barrier pipes (ME3444)	Polypipe Building Products	B.1.2	DWI 56/4/1076

List of approved products for use in public water supply in the United Kingdom

Polypipe Blue PE100 Polyethylene Pipes (TUB124N 2025)	Polypipe Building Products	B.1.1	DWI 56/4/1296
Powerrun fabricated stainless steel pipework	Powerrun Pipe-Mech Ltd	B.1.10	DWI 56/4/769
PRESSURE FILTRATION KIT DF FP/FDN 800÷3 500	DYNAMIK FILTR Nocoń iWspólnicy Spółka Jawna	D.4	DWI 56/4/1272
PureBore	Clear Solutions International Ltd	A.9	DWI 56/4/1118
Puresol	Alkali Solutions Ltd	A.9	DWI 56/4/1147
Puriton Pipe	Radius Systems Ltd	B.1.2	DWI 56/4/1112
Purolite A520E nitrate selective anion exchange resin	Purolite International Ltd	A.3.1	DWI 56/4/11
PVC Screens, Casings, Fittings and Accessories	Stuwa-Konrad Stukerjurgan GmbH	B.2	DWI 56/4/1061
Q Pipe System	ABC Stainless Steel Ltd	B.1.10	DWI 56/4/542a
Qual-plast HDPE Pipe	Pipelife Ireland Limited	B.1.1	DWI 56/4/997
Qual-plast MDPE Pipe	Pipelife Ireland Limited	B.1.1	DWI 56/4/240
QualPLAST Polyethylene MDPE co-extruded pipe	Pipelife Ireland Limited	B.1.1	DWI 56/4/1282
Quantum Pressure Vessels- 304L	Quantum Engineering Developments Ltd	E.3	DWI 56/4/1132
Quantum Pressure Vessels- 316L	Quantum Engineering Developments Ltd	E.3	DWI 56/4/1133
Rapid Gravity Filter Air Header	De Nora Water Technologies UK Services Ltd	E.4	DWI 56/4/632
Renderoc Plug 20	Fosroc Ltd	C.6	DWI 56/4/297
RENO 100	Idrotherm 2000 srl	B.1.1	DWI 56/4/1168
Replacement GAC Tank	ABC Stainless Steel Ltd	E.1	DWI 56/4/705
Resinex KW-H	Jacobi Carbons	A.3.1	DWI 56/4/1151
ResMix Vital	WEARS Australia	E.4	DWI 56/4/1131
Rilsan Nylon Green Coated Pipes and Fittings	Leyfos Plastics Limited	B.1.8	DWI 56/4/615
RoCide DB20	Avista Technologies (UK) Ltd	A.5	DWI 56/4/964
RoClean L211	Avista Technologies (UK) Ltd	A.5	DWI 56/4/945
RoClean L403	Avista Technologies (UK) Ltd	A.5	DWI 56/4/855
RoClean L404	Avista Technologies (UK) Ltd	A.5	DWI 56/4/800
RoClean L607	Avista Technologies (UK) Ltd	A.5	DWI 56/4/824
RoClean P111	Avista Technologies (UK) Ltd	A.5	DWI 56/4/737
RoClean P303	Avista Technologies (UK) Ltd	A.5	DWI 56/4/746
S-150 FSFC Membrane Filtration Elements	X-FLOW B.V.	D.1	DWI 56/4/324

List of approved products for use in public water supply in the United Kingdom

S-225 FSFC Membrane Filtration Elements	X-FLOW B.V.	D.1	DWI 56/4/324
Saltgitter Mannesmann Line Pipe	Salzgitter Mannesmann Line Pipe GmbH	B.1.7.1	DWI 56/4/434
Sanosil Super 25	Water Treatment Products Limited	A.4	DWI 56/4/211
SBH and PBF Stainless Steel Bag Housing	Fileder Filter Systems	D.2	DWI 56/4/848
SC100 (PE100) XL large diameter / heavy wall dark blue potable water pipe	Radius Systems Ltd	B.1.1	DWI 56/4/1146
SC80 Service Pipe	Radius Systems Ltd	B.1.1	DWI 56/4/941
Screens, Casing and Accessories for Water Wells	Bilfinger Water Technologies	B.2	DWI 56/4/653
SEAQUEST	Aqua Smart Inc.	A.4	DWI 56/4/202
Sensorline	Sensor (UK) Ltd	C.4	DWI 56/4/1066a
Sensorline (Stainless steel)	Sensor (UK) Ltd	E.4	DWI 56/4/1066b
SFH and PFH Stainless Steel Filter Housing	Fileder Filter Systems	D.2	DWI 56/4/848
SFH PFH SSS Filter housing	Evoqua Water Technologies Ltd	D.2	DWI 56/4/1191
Shotcrete 513	National Cement Distribution Ltd	C.6	DWI 56/4/1089
Sika Monotop 610/615 Concrete Repair System	Sika Ltd	C.6	DWI 56/4/834
Sikadur Combiflex SG jointing system using Sikadur 31 DW	Sika Ltd	C.6	DWI 56/4/94
Sikadur Combiflex SG jointing system, using Sikadur 31 DW Rapid	Sika Ltd	C.6	DWI 56/4/1124
Sikagard 62	Sika Ltd	C.3.1	DWI 56/4/197
Silver Bullets 1000	BioBullets Ltd	A.9	DWI 56/4/852
Silver Bullets 2000	BioBullets Ltd	A.9	DWI 56/4/1000
Simona PE100 Pressure Pipe (Type TRST-RO) Blue	Simona UK Ltd	B.1.1	DWI 56/4/526
Simona PE100 Pressure Pipe Black	Simona UK Ltd	B.1.1	DWI 56/4/875
Simona PE100 Pressure Pipe SPC Drinking Water Pipes type TRST-SPC RO	Simona UK Ltd	B.1.1	DWI 56/4/570
Single and Multiple Cartridge & Bag Filter Housings and Interconnecting pipework	Amazon Filters Ltd	D.2	DWI 56/4/879
Snap-Tite TE Range – Blue Hose	Parker Snap-tite	B.3.1	DWI 56/4/62

List of approved products for use in public water supply in the United Kingdom

Sodium Hypochlorite generated by Neuthox	Danish Clean Water A/S	A.7.2	DWI 56/4/1298
Sodium Hypochlorite generated by Neuthox T10/15	Danish Clean Water A/S	A.7.2	DWI 56/4/1315
Sodium Hypochlorite generated by Neuthox T20	Danish Clean Water A/S	A.7.2	DWI 56/4/1318
Sodium Hypochlorite generated by Selcoperm	Grundfos Holdings A/S	A.7.2	DWI 56/4/864
Spectraguard SC	Professional Water Technologies Inc	A.5	DWI 56/4/854
Stainless Steel ANSI Metric ISO Pipe, Stainless Steel ANSI Metric ISO Tube, Stainless Steel ANSI Metric ISO Fittings	Blackburns Metal Ltd	B.1.10	DWI 56/4/1224
Stainless Steel DAF	Jacopa Ltd	E.4	DWI 56/4/1180
Stainless Steel Fabrications: Pipework, Tanks and Vessels for use with Drinking Water	Stainless Metalcraft (Chatteris) Ltd	E.1	DWI 56/4/1211
Stainless Steel Floor Plates, weirs, pipework and tanks	Western Carbons	E.4	DWI 56/4/1303
Stainless Steel Grade 316L Potable Water Reservoir Tanks	Powerrun Pipe-Mech Ltd	E.1	DWI 56/4/611
Stainless Steel Metric ISO & ANSI welded pipe and fittings	DH Stainless Ltd	B.1.10	DWI 56/4/773
Stainless Steel pipes, Stainless Steel Tube, Stainless Steel Fittings	Righton Ltd	B.1.10	DWI 56/4/1221
Stainless Steel Pipework	Alpha Plus Ltd	B.1.10	DWI 56/4/692
Stainless Steel Pipework & Fittings - Flanged/Screwed - All diameters & Grades	George Green (Keighley) Ltd	B.1.10	DWI 56/4/699
Stainless Steel Pipework and Fabrications	AJ Engineering and Construction Services Ltd	E.4	DWI 56/4/1220b
Stainless Steel Pipework and Fabrications	AJ Engineering and Construction Services Ltd	B.1.10	DWI 56/4/1220a
Stainless steel process pipework systems	Ross-shire Engineering Ltd	B.1.10	DWI 56/4/1034
Stainless Steel Screens, Casings, Fittings and Accessories	Stuwa-Konrad Stukerjurgan GmbH	B.2	DWI 56/4/1060
Stainless Steel Tanks & Pipework	EPS Group	E.1	DWI 56/4/1267
Stainless Steel Tanks and Launderers	Allied Storage Tank Ltd	E.1	DWI 56/4/1258
Stainless Steel Tube, Stainless Steel pipe	Amari Metals Ltd	B.1.10	DWI 56/4/738
Stainless Steel Tubings and Fittings	BSS Industrial	B.1.10	DWI 56/4/1017
Stainless Steel Water Tanks	Sayers Road Tankers Ltd	E.1	DWI 56/4/1028

List of approved products for use in public water supply in the United Kingdom

Staptina Bespoke stainless steel fabrications: Pipework, Baffles, Troughs, Tanks, Support and Access systems	Staptina Engineering Services Ltd	B.1.10	DWI 56/4/567a
Staptina Bespoke stainless steel fabrications: Pipework, Baffles, Troughs, Tanks, Support and Access systems	Staptina Engineering Services Ltd	E.1	DWI 56/4/567b
Staptina Bespoke stainless steel fabrications: Pipework, Baffles, Troughs, Tanks, Support and Access systems	Staptina Engineering Services Ltd	E.4	DWI 56/4/567c
Steel pipe coated with 3M Scotchkote Epoxy Coating 162PWX	STS Tubular Group	B.1.9	DWI 56/4/993
Steel pipe coated with Eurokote 468 Thixo	STS Tubular Group	B.1.9	DWI 56/4/1203
Steel Reinforcement Protector 841	Flexcrete Technologies Ltd	C.6	DWI 56/4/1164
Storage, process tanks and vessels	ABC Stainless Steel Ltd	E.1	DWI 56/4/542b
STUWA Stainless Steel Riser Pipes	Stuwa-Konrad Stukerjurg GmbH	B.2	DWI 56/4/1077
Subcoil	Radius Subterra – a part of RadiusPlus Ltd	B.1.1	DWI 56/4/461
Subcote 173/90	Radius Subterra – a part of RadiusPlus Ltd	C.2.1	WS 34/1/124a
Subcote 173/90	Radius Subterra – a part of RadiusPlus Ltd	C.3.1	WS 34/1/124b
Subcote FLP	Radius Subterra – a part of RadiusPlus Ltd	C.2.2	DWI 56/4/698a
Subcote FLP	Radius Subterra – a part of RadiusPlus Ltd	C.3.2	DWI 56/4/698b
Super Aquaduct	Angus Flexible Pipelines	B.3.1	DWI 56/4/1005
Surge Protector- Model Type SAC	Flo-dyne Ltd	E.4	DWI 56/4/962
Suspended Ion Exchange (SIX)	PWN Technologies	E.4	DWI 56/4/1171
System Cement Mortar Lined Ductile Iron Pipe	Superior Pipeline Products Ltd	B.1.7.1	DWI 56/4/990
System CL	Saint-Gobain PAM UK Ltd	B.1.7.1	DWI 56/4/283
System CL	Saint-Gobain PAM UK Ltd	B.1.11	DWI 56/4/283
System XL	Saint-Gobain PAM UK Ltd	B.1.7.2	DWI 56/4/1317
System XL	Saint-Gobain PAM UK Ltd	B.1.11	DWI 56/4/1317
Tanks and associated Pipework, Weir Plates and Baffle Plates manufactured from Stainless steel suitable for use with drinking water	Homer Burgess Ltd	E.4	DWI 56/4/1107c

List of approved products for use in public water supply in the United Kingdom

Tanks and associated Pipework, Weir Plates and Baffle Plates manufactured from Stainless steel suitable for use with drinking water	Homer Burgess Ltd	E.1	DWI 56/4/1107b
Tanks and associated Pipework, Weir Plates and Baffle Plates manufactured from Stainless steel suitable for use with drinking water	Homer Burgess Ltd	B.1.10	DWI 56/4/1107a
Tanks for transportation of drinking water	Crossland Tankers (Burnley) Ltd	E.1	DWI 56/4/792
Tetra LP Block System	De Nora Water Technologies UK Services Ltd	E.2	DWI 56/4/522
TEVAN Panox	Tevan B.V.	A.4	DWI 56/4/844
Thycal	Industrial Chemicals Ltd	A.9	DWI 56/4/1025
Tiefill	Flexcrete Technologies Ltd	C.6	DWI 56/4/1287
TOM PVC-O Pipe	Molecor Tecnología SL	B.1.3	DWI 56/4/1057
TP Chlor	Brenntag UK & Ireland	A.9	DWI 56/4/979
TP Chlor plus	Brenntag UK & Ireland	A.9	DWI 56/4/1190
Trifusion ®	Permastore Ltd	E.1	DWI 56/4/1213
TUBEdek FS41.50/84 PP	ENEXIO 2H Water Technologies Ltd	E.4	DWI 56/4/878
Ultrafiltration element ZW700B-8060/UF10/7B/R/0.8/40	GE Water & Process Technologies	D.1	DWI 56/4/1125
Ultrafiltration element ZW700B-8060/UF10/7B/X/0.8/40	GE Water & Process Technologies	D.1	DWI 56/4/1126
Ultralox 40	B&V Water treatment	A.9	DWI 56/4/1074
Ultralox 80	B&V Water treatment	A.9	DWI 56/4/1166
Uratop PVC-O Adequa	Adequa WS S.L.U	B.1.3	DWI 56/4/1266
Vandex Plug	Vandex International Ltd	C.6	DWI 56/4/1096
VANDEX PREMIX	Vandex International Ltd	C.5	DWI 56/4/1097
VANDEX SUPER	Vandex International Ltd	C.5	DWI 56/4/1098
Vitec 3000	Avista Technologies (UK) Ltd	A.5	DWI 56/4/457
Vitec 5000	Avista Technologies (UK) Ltd	A.5	DWI 56/4/458
Vitec 7000	Avista Technologies (UK) Ltd	A.5	DWI 56/4/801
Vitec 7000a	Avista Technologies (UK) Ltd	A.5	DWI 56/4/869
Wallace and Tiernan OSEC ®	Evoqua Water Technologies Ltd	A.7.2	DWI 56/4/775
Water Pipe Lining	Aqualiner Ltd	C.1	DWI 56/4/910
Waterstop	National Cement Distribution Ltd	C.6	DWI 56/4/1217
Wavinmain EN 1452 NGS	Wavin Ireland Ltd	B.1.3	DWI 56/4/731
Wavistrong Series	Future Pipe Industries B.V	B.1.6	DWI 56/4/656

List of approved products for use in public water supply in the United Kingdom

Weholite Pipe and Panels	Asset International Ltd	B.1.1	DWI 56/4/513a
Weholite Pipe and Panels	Asset International Ltd	E.1	DWI 56/4/513b
Wester Carbons Porous Block	Western Carbons	E.4	DWI 56/4/1297
Whale Drinking Water Bowser	Whale Tankers Ltd	B.3.2	DWI 56/4/662
WTP RO 411	Water Treatment Products Limited	A.5	DWI 56/4/821
WTP RO 413	Water Treatment Products Limited	A.5	DWI 56/4/822
Xiga	X-FLOW B.V.	D.1	DWI 56/4/324
XIGA HP	X-FLOW B.V.	D.1	DWI 56/4/1023
Xypex Admix C-1000 NF	Xypex (UK) LLP	C.6	DWI 56/4/1263
Xypex Concentrate	Xypex (UK) LLP	C.5	DWI 56/4/1261
Xypex Modified	Xypex (UK) LLP	C.5	DWI 56/4/1262
Xypex Patch'n Plug	Xypex (UK) LLP	C.6	DWI 56/4/1100
ZeeWeed 1000 V4	GE Water & Process Technologies Hungary Kft	D.1	DWI 56/4/1177
ZeeWeed 1500 Module	GE Water & Process Technologies Hungary Kft	D.1	DWI 56/4/1013
ZeeWeed 500c, Membrane Filtration Module	GE Water & Process Technologies Hungary Kft	D.1	DWI 56/4/628
ZeeWeed 500d (340) Membrane Filtration Module	GE Water & Process Technologies Hungary Kft	D.1	DWI 56/4/835
ZeeWeed 500d (440) Membrane Filtration Module	GE Water & Process Technologies Hungary Kft	D.1	DWI 56/4/835
ZeeWeed 500ds (350) Membrane Filtration Module	GE Water & Process Technologies Hungary Kft	D.1	DWI 56/4/835